



THE RIGHT SOLUTION
FOR THE TASK AT HAND



#CREATEDFORTRADES

ARCTEK

CUT-X

GANDER BRAND

DENY

X-SITE

BDG planet.



X-SITE®



NEW

20-1-10623 XS-X2L

Microfiber Performance Glove

- + Microfiber palm
- + Spandex backhand
- + Cut-resistant palm lining
- + TPR backhand impact protection
- + Hook & loop wrist closure
- + Reinforced index finger & thumb



BDG® CLASSIC

NEW



20-1-5005 XS-X3L
+ 5" Cuff



50-9-5010 XS-X3L
+ Goatskin Mitt

50-9-5011 XS-X3L

Lined Grain Goatskin 1-Finger Mitt

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + C150 Thinsulate™ insulation
- + 5" split cowhide gauntlet cuff
- + Keystone thumb



20-1-5000 XS-X3L

Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + Slip-on cuff
- + Gunn cut w/keystone thumb
- + Stitched with Kevlar®



20-9-5000 XS-X3L

+ Winter Lined

+ Winter Lined

#CreatedForTrades



helping hands for planet earth

99-1-8110 X2S-X3L

**NBR Coated 15 ga.
Nylon/Spandex**

- + 15 ga. nylon/spandex shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

EN 388
EN 407
4131A
X1XXXX



1.05 Kgs/pr.
of Greenhouse gas
emissions sequestered



99-1-8130 X2S-X3L

NBR Coated 15 ga. HPPE

- + 15 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Reinforced thumb saddle
- + Elastic knit wrist w/hemmed cuff

ANSI
A3
CUT
EN 388
4X43C
EN 407
X1XXXX



1.49 Kgs/pr.
of Greenhouse gas
emissions sequestered



99-1-8120 X2S-X3L

NBR Coated 15 ga. HPPE

- + 15 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Reinforced thumb saddle
- + Elastic knit wrist w/hemmed cuff

ANSI
A2
CUT
EN 388
4X43B
EN 407
X1XXXX



0.76 Kgs/pr.
of Greenhouse gas
emissions sequestered



99-1-8160 X2S-X3L

NBR Coated 15 ga. HPPE

- + 15 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Reinforced thumb saddle
- + Elastic knit wrist w/hemmed cuff

ANSI
A6
CUT
EN 388
4X44E
EN 407
X1XXXX



NEW PRODUCT



Biodegrades* over 84% within 92 days

*ISO 14855-1:2012 tested



Dermatologically
Approved



99-1-6350 S-X2L

**5 MIL TRI-POLYMER
DISPOSABLE GLOVES**

- + 5 mil tri-polymer
- + Fully textured
- + Beaded cuff
- + Made with natural rubber latex
- + 24 cm length (9.5")
- + 100 pc/box

EN 1186
EN 374-1/Type B
EN 374-5
KOP
VIRUS



COMPOSTABLE IN
INDUSTRIAL FACILITIES



THE RIGHT SOLUTION FOR THE TASK AT HAND

Not all tasks require the same type or level of protection. Bob Dale Gloves offers a full range of hand protection and apparel solutions to handle whatever job you take on. Designed with purpose, and built with quality materials and workmanship, our products are rigorously tested to ensure your safety.


SAFETY & HAZARD SOLUTIONS

Abrasion Resistant	Arc Flash Resistant	Chemical Resistant	Cold Resistant
Cut Resistant	Flame Resistant	Heat Resistant	Impact Resistant
Liquid Resistant	Needlestick Resistant	Oil Resistant	Puncture Resistant
Tear Resistant	Water Resistant		

FEATURES


Breathable	Dexterity	Durability	Ecological
Food Handling	Genuine Leather	Solid Grip	High Visibility
Padded Palm	Premium Deerskin	Slim Fit	Touch Screen

TABLE OF CONTENTS



NEW PRODUCTS

P. 2-3



PUNCTURE RESISTANT

P. 5-7



HEAT RESISTANT

P. 8-9



CHEMICAL RESISTANT

P. 10-11



CUT RESISTANT

P. 12-17



IMPACT RESISTANT

P. 18-20



WATER RESISTANT

P. 22-23



COLD RESISTANT

P. 25-27



TOUCH SCREEN

P. 28-29



GENERAL PURPOSE

P. 30-33



WELDING PRODUCT

P. 34-35



PUNCTURE RESISTANT

From metal to glass, shield hands from sharp objects. Our puncture resistant gloves are durable while providing comfort and flexibility.

ANSI	ANSI 1 ≥ 10 N LIGHT	ANSI 2 ≥ 20 N LIGHT - MEDIUM	ANSI 3 ≥ 60 N MEDIUM	ANSI 4 ≥ 100 N MEDIUM - HEAVY	ANSI 5 ≥ 150 N HEAVY
------	---------------------------	------------------------------------	----------------------------	-------------------------------------	----------------------------

EN 388	EN 388 0 0-20 N LIGHT	EN 388 1 20-59 N LIGHT - MEDIUM	EN 388 2 60-99 N MEDIUM	EN 388 3 100-149 N MEDIUM - HEAVY	EN 388 4 150+ N HEAVY	EN 388 123456	1. Abrasion 2. Cut (Coup) 3. Tear 4. Puncture 5. Cut (TDM) 6. Impact
--------	-----------------------------	---------------------------------------	-------------------------------	---	-----------------------------	------------------	---

N = Newtons

with the greater number being the higher level of puncture resistance

SCAN HERE
TO SEE MORE



99-1-9632 XS-X2L (6-11)

Silicone Coated 13 ga. HPPE

- + 13 ga. HPPE/steel/glass shell
- + Silicone palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

ANSI A5 CUT	ANSI 6 ABR	ANSI 3 PUNCT	EN 407 X1XXXX
Abrasion	Cut	Puncture	Breathable



99-1-9430 X3S-X2L (4-11)

PU Coated 21 ga. HPPE

- + 21 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

ANSI A3 CUT	ANSI 2 ABR	ANSI 3 PUNCT
Abrasion	Cut	Puncture



99-1-9629 XS-X4L (6-13)

Nitrile Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI A9 CUT	ANSI 3 ABR	ANSI 5 PUNCT
Abrasion	Cut	Puncture



99-1-9630 XS-X2L (6-11)

Nitrile Coated 13 ga. HPPE

- + 13 ga. Nylon/HPPE/steel wire shell
- + Foam nitrile palm coating w/smooth finish
- + Steel wire/cotton inner palm lining
- + Elastic knit wrist w/hemmed cuff
- + Needlestick Resistant

ANSI A9 CUT	ANSI 5 PUNCT	ANSI 5 NEEDLE PALM ONLY
Cut	Needle	Puncture



99-1-9660 S-X2L (7-11)

Full Nitrile Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Nitrile palm coating over full coating
- + Elastic knit wrist w/hemmed cuff

ANSI
A3
CUT
EN 388
4X43C



99-1-9500 XS-X2L (6-11)

Nitrile Coated 15 ga. HPPE

- + 15 ga. HPPE shell
- + Foam nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI
A2
CUT
ANSI
HEAT
1
EN 388
4X43B
EN 407
X1XXXX



99-1-275BP XS-XL (6-10)

Latex Coated Poly/Cotton

- + Poly-cotton shell
- + Latex palm coating w/crinkle finish
- + Elastic knit wrist w/hemmed cuff

EN 388
2143X



99-1-9799 XS-X2L (6-11)

Nitrile Coated Nylon

- + Nylon shell
- + Foam nitrile palm coating w/porous finish
- + Elastic knit wrist w/hemmed cuff

ANSI
A1
CUT
EN 388
4132X



20-1-10751 S-X3L

Grain Goatskin Driver

- + Oil-resistant grain goatskin palm & backhand
- + Cut-resistant lining
- + Slip-on cuff
- + Wing thumb
- + Reinforced thumb saddle

ANSI
A5
CUT
ANSI
4
PUNCT

Winter Lined
20-9-10751



20-1-1891 S-X3L

Goatskin Driver w/Hi-Viz Fingertips

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + Slip-on cuff
- + Hi-viz fingertips
- + Reinforced thumb saddle

ANSI
A5
CUT
ANSI
3
PUNCT

Winter Lined
20-9-1891



20-9-10364 XS-X2L

Lined Microfiber Performance Glove

- + Cut-resistant lining
- + Slip-on cuff
- + C40 Thinsulate™ palm insulation, C100 Thinsulate™ backhand insulation
- + Touchscreen friendly

ANSI
A5
CUT
ANSI
4
ABR
ANSI
3
PUNCT



20-9-10400 XS-X3L

Lined Synthetic Leather Performance Glove

- + Synthetic leather palm
- + Cut-resistant aramid lining
- + C100 Thinsulate™ insulation
- + TPR backhand impact protection
- + Reinforced thumb saddle

ANSI
A7
CUT
ANSI
4
ABR
ANSI
4
PUNCT
ANSI / ISEA 138
2



**20-1-1610 XS-X2L****Grain Goatskin Driver**

- + Grain goatskin palm & backhand
- + Slip-on cuff
- + Shirred elastic wrist
- + Gunn cut w/keystone thumb

ANSI
3
PUNCT

Puncture



Durable



Leather

**60-1-1290 S-X2L****Grain Cowhide Utility Glove
w/6.25" Cuff**

- + Water-repellent grain cowhide palm & backhand
- + Cut-resistant lining
- + 6.25" split cowhide hi-viz gauntlet cuff w/gore
- + Shirred elastic wrist
- + Outseam sewn fingers

ANSI
A7
CUT

Cut

ANSI
5
PUNCT

Puncture



Water



Durable



Leather



Hi-Viz

**50-9-5010 XS-X3L****Lined Grain Goatskin Mitt**

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + C150 Thinsulate™ insulation
- + 5" split cowhide gauntlet cuff
- + Keystone thumb

ANSI A6 CUT	ANSI 4 ABR	ANSI 4 PUNCT	ANSI / ISEA 138 2
Cold	Abrasion	Cut	Impact

--

Durable

20-1-5005 XS-X3L

- + 5" Cuff

**50-9-5011 XS-X3L**

- + 1-Finger Mitt w/5" Cuff

Winter Lined
20-9-5005**20-1-1880 S-X3L****Grain Goatskin Driver**

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + Slip-on cuff
- + Reinforced thumb saddle
- + Stitched with Kevlar®

ANSI A5 CUT	ANSI 3 PUNCT	ANSI HEAT 3 CONDUCTIVE	ANSI / ISEA 138 2
Cut	Heat	Impact	Puncture

--	--

Winter Lined
20-9-1880/20-9-1883/20-9-1885**20-1-1883 S-X3L**

- + 3" Cuff

**20-1-1885 S-X3L**

- + 5" Cuff





HEAT RESISTANT

Protect hands from low to high heat temperatures. Our durable gloves are crafted to shield workers as they interact with hot objects and surfaces.



Highest Contact Temperature (C°)

which both time-to-2nd degree burn is ≥ 15 seconds and alarm time ≥ 4 seconds




SCAN HERE
TO SEE MORE



99-1-9677 S-X3L (7-12)

FR Nitrile/Neoprene Coated 13 ga. Aramid

- + 13 ga. FR aramid shell
- + FR nitrile/neoprene micro-foam palm coating
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff



99-1-9675 S-X3L (7-12)

FR Nitrile/Neoprene Coated 13 ga. Aramid

- + 13 ga. FR aramid shell
- + FR nitrile/neoprene micro-foam palm coating
- + Elastic knit wrist w/hemmed cuff



20-1-1880 S-X3L

Grain Goatskin Driver


- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + Slip-on cuff
- + Reinforced thumb saddle
- + Stitched with Kevlar®



99-1-900 One Size

17" Neoprene Glove w/Jersey Lining

- + Neoprene shell w/crinkle finish
- + 17" overall length
- + Double jersey lining






20-1-10699 XS-X3L

Grain Goatskin Glove**w/5" Cuff**

- + Water-repellent grain goatskin leather
- + Cut-resistant lining
- + TPR backhand impact protection
- + 5" split cowhide cuff w/reflective strip
- + Foam padded palm



20-1-10697 XS-X3L

+ Slip-on Cuff



20-1-10698 XS-X3L


+ 3" Cuff



20-1-10755 XS-X3L

Grain Goatskin Glove**w/5" Cuff**

- + Oil-resistant grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + 5" split cowhide cuff w/reflective strip
- + Foam padded palm



20-1-10750 XS-X3L

+ Slip-on Cuff



20-1-10753 XS-X3L


+ 3" Cuff



20-1-1600 XS-X2L

Grain Goatskin Driver


- + Grain goatskin palm & backhand
- + Cut-resistant Kevlar® lining
- + Slip-on cuff
- + Shirred elastic wrist
- + Gunn cut w/keystone thumb
- + Stitched with Kevlar®



20-1-1605 XS-X2L

Grain Goatskin Glove**w/5" Cuff**

- + Grain goatskin palm & backhand
- + Cut-resistant Kevlar® lining
- + 5" split cowhide gauntlet cuff
- + Shirred elastic wrist
- + Stitched with Kevlar®



90-0-613 one Size

**Knit Toque
w/FR Fibre**

- + Meta-aramid fiber
- + Interlock knit
- + 2 layers (290 GSM)



99-1-330 10"-20"

Cut-Resistant Sleeve

- + Cut-resistant polyethylene/steel shell
- + Various lengths available
- + No thumbhole
- + Sold individually





CHEMICAL RESISTANT

Shield hands from hazardous compounds and waste found on the job. From oils and fuels to acids and caustics, our chemical resistant gloves have you covered.



SCAN HERE
TO SEE MORE



99-1-504 L-XL (9-11)

14" PVC Glove

w/Cut-Resistant Lining


- + PVC shell w/textured finish
- + 14" overall length
- + Cut-resistant para-aramid lining
- + TPR backhand impact protection
- + Anatomically formed



99-1-503 L-XL

Full PVC Coated Kevlar® w/Safety Cuff


- + Kevlar® shell
- + Full PVC coating w/textured finish
- + Safety cuff
- + Embedded foam padded palm



99-1-918 One Size

18" PVC Glove w/Fleece Lining

- + Double dipped PVC shell w/textured finish
- + 18" overall length
- + Fleece lining



99-1-901 S-XL (7-10)

12" Rubber Glove

w/Flock Lining


- + 32 mil rubber shell w/diamond embossed palm
- + 12" overall length
- + Flock lining
- + Beaded cuff
- + Chlorinated



99-1-912 One Size

12" PVC Glove w/Fleece Lining

- + Double dipped PVC shell w/textured finish
- + 12" overall length
- + Fleece lining




99-1-900 One Size

17" Neoprene Glove

w/Jersey Lining

- + Neoprene shell w/crinkle finish
- + 17" overall length
- + Double jersey lining



**99-1-1715F S-X2L (7-11)****13" Nitrile Glove w/Flock Lining**

- + 15 mil nitrile w/diamond patterned palm
- + 13" overall length
- + Flock lining
- + Latex free

EN 388
EN 374-1/Type A
EN 374-5
3101X AJKLMNOT

**99-1-820BD M-X2L (8-11)****12" PVC Glove w/Cotton Lining**

- + Triple dipped PVC shell w/textured finish
- + 12" overall length
- + Cotton lining
- + Beaded cuff
- + Anatomically formed

EN 388
EN 374-1/Type A
4121X AJKLMPT

**99-9-821 L-X2L (9-11)****12" PVC Glove w/BOA Lining**

- + Triple dipped PVC shell w/textured finish
- + 12" overall length
- + BOA acrylic thermal lining

EN 388
EN 374-1/Type A
4121X AJKLMPT

**99-1-6350 S-X2L****5 mil Tri-Polymer Disposable Gloves**

- + Fully textured
- + Double chlorinated
- + Beaded cuff
- + Compostable in industrial facilities
- + Made with natural rubber latex

EN 374-1/Type B
EN 374-5
EN 1186
KÖP VIRUS

**99-1-6100B S-X2L****6 mil Nitrile Disposable Gloves**

- + 6 mil nitrile
- + Double sided traction grip
- + Powder free
- + Latex free
- + Touchscreen friendly

EN 374-1/Type B
EN 374-5
EN 1186
JKTP VIRUS

**99-1-6200B S-X3L****8 mil Nitrile Disposable Gloves**

- + 8 mil nitrile
- + Double sided traction grip
- + Powder free
- + Latex free
- + Touchscreen friendly

EN 374-1/Type B
EN 374-5
EN 1186
JKTP VIRUS

**99-1-6000B S-X2L****6 mil Nitrile Disposable Gloves**

- + 6 mil nitrile
- + Double sided traction grip
- + Powder free
- + Latex free
- + Touchscreen friendly
- + Ambidextrous

EN 374-1/Type B
EN 374-5
EN 1186
JKTP VIRUS

**88-1-7800 S-XL****3 mil Nitrile Disposable Gloves**

- + 3 mil nitrile
- + Fine textured fingers
- + Powder free
- + Beaded cuff
- + Ambidextrous

EN 374-1/Type C
KJO





CUT RESISTANT

Shield hands from sharp objects and tools. Our BDG® cut resistant work gloves are designed to protect while being comfortable to wear.

ANSI	ANSI A1 ≥ 200 G LIGHT	ANSI A2 ≥ 500 G LIGHT - MEDIUM	ANSI A3 ≥ 1000 G MEDIUM	ANSI A4 ≥ 1500 G MEDIUM - HEAVY	ANSI A5 ≥ 2200 G HEAVY	ANSI A6 ≥ 3000 G EXTRA HEAVY	ANSI A7 ≥ 4000 G EXTRA HEAVY	ANSI A8 ≥ 5000 G EXTREME	ANSI A9 ≥ 6000 G EXTREME
EN 388	EN 388 A ≥ 2 N LIGHT	EN 388 B ≥ 5 N LIGHT - MEDIUM	EN 388 C ≥ 10 N MEDIUM	EN 388 D ≥ 15 N MEDIUM - HEAVY	EN 388 E ≥ 22 N HEAVY	EN 388 F ≥ 30 N EXTRA HEAVY	EN 388 1234D6	1. Abrasion 2. Cut (Coup) 3. Tear 4. Puncture 5. Cut (TDM) 6. Impact	



SCAN HERE
TO SEE MORE

G = Grams, N = Newtons

1 Newton = 102 Grams. (approx.)

with the greater numbers being the higher level of cut resistance



99-1-310 10"-20"

Hi-Viz Cut Resistant Sleeve

- + Cut-resistant polyethylene/fiberglass shell
- + Various lengths available
- + No thumbhole
- + Sold individually



Cut



99-1-315 10"-20"

Hi-Viz Cut Resistant Sleeve w/Thumb Hole

- + Cut-resistant polyethylene/fiberglass shell
- + Various lengths available
- + Thumbhole
- + Sold individually



Cut



99-1-320 10"-20"

Cut-Resistant Sleeve

- + Cut-resistant polyethylene/fiberglass shell
- + Various lengths available
- + No thumbhole
- + Sold individually



Cut



Heat
Conductive



99-1-325 10"-20"

Cut-Resistant Sleeve w/Thumb Hole

- + Cut-resistant polyethylene/fiberglass shell
- + Various lengths available
- + Thumbhole
- + Sold individually



Cut



Heat
Conductive



A9

**99-1-9629 XS-X4L (6-13)****Nitrile Coated 13 ga. HPPE**

- + 13 ga. HPPE shell
- + Nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI
A9
CUT

ANSI
3
ABR

ANSI
5
PUNCT

Abrasion Cut Puncture Breathable Dexterity Grip

A9

**99-1-9630 XS-X2L (6-11)****Nitrile Coated 13 ga. HPPE**

- + 13 ga. Nylon/HPPE/steel wire shell
- + Foam nitrile palm coating w/smooth finish
- + Steel wire/cotton inner palm lining
- + Elastic knit wrist w/hemmed cuff
- + Needlestitch Resistant

ANSI
A9
CUT

ANSI
5
PUNCT

ANSI
5
NEEDLE
PALM ONLY

Cut Needle Puncture Breathable Grip Touchscreen

A8

**99-1-9628 XS-X2L (6-11)****Nitrile Coated 13 ga. HPPE**

- + 13 ga. HPPE shell
- + Nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI
A8
CUT

ANSI
6
ABR

ANSI
4
PUNCT

Abrasion Cut Puncture Breathable Dexterity Grip

A8

**99-1-9792 XS-X2L (6-11)****Nitrile Coated HPPE**

- + HPPE shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff

ANSI
A8
CUT

ANSI
6
ABR

ANSI
4
PUNCT

Abrasion Cut Impact Puncture Dexterity Grip

A7

**20-1-10400 XS-X3L****Synthetic Leather Performance Glove**

- + Synthetic leather palm
- + Cut-resistant aramid lining
- + TPR backhand impact protection
- + Foam padded palm
- + Touchscreen friendly

ANSI
A7
CUT

ANSI
4
ABR

ANSI
4
PUNCT

Abrasion Cut Impact Puncture Padded Palm Touchscreen

A7

**20-9-10400 XS-X3L****Lined Synthetic Leather Performance Glove**

- + Synthetic leather palm
- + Cut-resistant aramid lining
- + C100 Thinsulate™ insulation
- + TPR backhand impact protection
- + Reinforced thumb saddle

ANSI
A7
CUT

ANSI
4
ABR

ANSI
4
PUNCT

Cold Cut Impact Puncture Padded Palm Touchscreen

A7

**99-1-9627 XS-X2L (6-11)****Nitrile Coated 13 ga. HPPE**

- + 13 ga. HPPE shell
- + Nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI
A7
CUT

ANSI
3
ABR

ANSI
4
PUNCT

Abrasion Cut Puncture Breathable Dexterity Grip

A7

**60-1-1290 S-X2L****Grain Cowhide Utility Glove w/6.25" Cuff**

- + Water-repellent grain cowhide palm & backhand
- + Cut-resistant lining
- + 6.25" split cowhide hi-viz gauntlet cuff w/gore
- + Shirred elastic wrist
- + Outseam sewn fingers

ANSI
A7
CUT

ANSI
5
PUNCT

Cut Puncture Water Durable Leather Hi-Viz

CUT RESISTANT



99-1-9626 XS-X4L (6-13)

Nitrile Coated 13 ga. HPPE


- + 13 ga. HPPE shell
- + Nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff



99-9-9791 XS-X2L (6-11)

Lined Nitrile Coated HPPE


- + 13 ga. HPPE outer shell, 7 ga. inner shell
- + Nitrile palm coating w/textured finish
- + Acrylic lining
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff



99-1-8160 X2S-X3L (5-12)

NBR Coated 15 ga. HPPE

- + 15 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle



99-1-9625 XS-X2L (6-11)

Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 18 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle
- + Breathable inner membrane coating



60-1-1818KV XS-X2L

Grain Cowhide Welder w/5" Cuff


- + Grain cowhide palm, thumb & index finger
- + Cut-resistant Kevlar® lining
- + 5" split cowhide gauntlet cuff
- + Wing thumb w/thumb strap
- + Stitched with Kevlar®



99-1-9793 XS-X2L (6-11)

Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 18 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Reinforced thumb saddle
- + Breathable inner membrane coating



50-9-5010 XS-X3L

Lined Grain Goatskin Mitt

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + C150 Thinsulate™ insulation
- + 5" split cowhide gauntlet cuff
- + Keystone thumb



20-1-5000 XS-X3L


Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + Slip-on cuff
- + Gunn cut w/keystone thumb
- + Stitched with Kevlar®



**99-1-9632 XS-X2L (6-11)****Silicone Coated 13 ga. HPPE**

- + 13 ga. HPPE/steel/glass shell
- + Silicone palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

**99-1-9791 XS-X2L (6-11)****Nitrile Coated HPPE**

- + HPPE shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff

**99-1-9631 XS-X3L (6-12)****Nitrile Coated 18 ga. HPPE**

- + 18 ga. Nylon/HPPE/steel wire shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff

**20-1-10360 XS-X2L****Microfiber Performance Glove**

- + Cut-resistant lining
- + Slip-on cuff
- + Touchscreen friendly
- + Reflective fingertips
- + Reinforced thumb saddle

**20-1-10623 XS-X2L****Microfiber Performance Glove**

- + Microfiber palm
- + Spandex backhand
- + Cut-resistant palm lining
- + TPR backhand impact protection
- + Hook & loop wrist closure
- + Reinforced index finger & thumb

**99-1-9770 X2S-X2L (5-11)****PU Coated 18 ga. HPPE**

- + 18 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

**99-1-9772 X2S-X3L (5-12)****NBR Coated 18 ga. HPPE**

- + 18 ga. HPPE/fiberglass shell
- + Foam NBR palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff



CUT RESISTANT



99-1-9778 S-X2L (7-11)

NBR Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI
A4
CUT
EN 388
4X440



99-1-9675 7-12

FR Nitrile/Neoprene Coated 13 ga. Aramid (Arc/Cut)

- + 13 ga. FR aramid shell
- + FR nitrile/neoprene micro-foam palm coating
- + Elastic knit wrist w/hemmed cuff

ANSI
A4
CUT
EN 388
4X43D
EN 407
4122XX
NFPA 70E
ATPV 10.2 cal/cm²
HEAT 2
CONDUCTIVE



99-1-9660 S-X2L (7-11)

Full Nitrile Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Nitrile palm coating over full coating
- + Elastic knit wrist w/hemmed cuff

ANSI
A3
CUT
EN 388
4X43C



99-1-8130 X2S-X3L (5-12)

NBR Coated 15 ga. HPPE

- + 15 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI
A3
CUT
EN 388
4X43C
EN 407
X1XXXX



99-1-9430 X3S-X2L (4-11)

PU Coated 21 ga. HPPE

- + 21 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

ANSI
A3
CUT
ANSI
2
ABR
ANSI
3
PUNCT



99-1-9623 XS-X2L (6-11)

Double Nitrile Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Double dipped nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI
A3
CUT
ANSI
4
ABR
ANSI
4
PUNCT



99-1-9790 XS-X2L (6-11)

Nitrile Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle
- + Foam padded palm

ANSI
A3
CUT
EN 388
4X43C
ANSI / ISEA 138
2



99-1-9780 XS-X3L (6-12)

PU Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

ANSI
A2
CUT
ANSI
6
ABR
EN 388
4242B



BDG[®]
BOB DALE GLOVES

X-SITE[®]

360°
coverage

Slip-on
cuff

Hi-Viz
spandex

Reflective
details

Cut resistant
lining

Reinforced
thumb saddle

Reflective
fingertips

Touchscreen
friendly



ANSI
A5
CUT

Style #
20-1-10360

ANSI
A5
CUT

**360° COVERAGE FOR
PERFORMANCE AND
SAFETY SOLUTIONS**



IMPACT RESISTANT

Impact dangers are all around the worksite. External hazards from drops, impact, or blunt force can crush or injure knuckles and fingers. Following ANSI/ISEA 138-2019 standards, BDG® offers a number of safety solutions to protect workers from these hazards.



kN = Kilonewton



SCAN HERE
TO SEE MORE



20-1-10400 XS-X3L

Synthetic Leather Performance Glove

- + Synthetic leather palm
- + Cut-resistant aramid lining
- + TPR backhand impact protection
- + Foam padded palm
- + Touchscreen friendly



20-9-10400 XS-X3L

Lined Synthetic Leather Performance Glove

- + Synthetic leather palm
- + Cut-resistant aramid lining
- + C100 Thinsulate™ insulation
- + TPR backhand impact protection
- + Reinforced thumb saddle



99-1-9791 XS-X2L (6-11)

Nitrile Coated HPPE

- + HPPE shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff



99-1-9792 XS-X2L (6-11)

Nitrile Coated HPPE

- + HPPE shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff





99-1-9793 XS-X2L (6-11)

Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 18 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Reinforced thumb saddle
- + Breathable inner membrane coating



99-9-9793 XS-X2L (6-11)

Lined Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 7 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Reinforced thumb saddle
- + Breathable inner membrane coating



99-1-9631 XS-X3L (6-12)

Nitrile Coated 18 ga. HPPE

- + 18 ga. Nylon/HPPE/steel wire shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff



99-1-504 L-X2L (9-11)

14" PVC Glove**w/Cut-Resistant Lining**

- + PVC shell w/textured finish
- + 14" overall length
- + Cut-resistant para-aramid lining
- + TPR backhand impact protection
- + Anatomically formed



20-1-10698 XS-X3L

Grain Goatskin Glove w/3" Cuff

- + Water-repellent grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + 3" split cowhide cuff w/reflective strip
- + Shirred elastic wrist
- + Foam padded palm



20-1-10695 S-X2L

Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + TPR backhand impact protection
- + Slip-on cuff
- + Shirred elastic wrist
- + Gunn cut w/keystone thumb
- + Stitched with Kevlar®



20-1-1870 S-X3L

Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + TPR backhand impact protection
- + Slip-on cuff
- + Wing thumb
- + Reinforced thumb saddle
- + Stitched with Kevlar®



Winter Lined
20-9-1870/20-9-1873-20-9-1875

20-1-1873 XS-X3L

- + 3" Cuff



20-1-1875 XS-X3L

- + 5" Cuff





20-1-5000 XS-X3L

Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + Slip-on cuff
- + Gunn cut w/keystone thumb
- + Stitched with Kevlar®



20-1-5005 XS-X3L

Grain Goatskin Glove w/5" Cuff

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + 5" split cowhide gauntlet cuff
- + Gunn cut w/keystone thumb



50-9-5010 XS-X3L

Lined Grain Goatskin Mitt

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + C150 Thinsulate™ insulation
- + 5" split cowhide gauntlet cuff
- + Keystone thumb



50-9-5011 XS-X3L

Lined Grain Goatskin 1-Finger Mitt

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + C150 Thinsulate™ insulation
- + 5" split cowhide gauntlet cuff
- + Keystone thumb



20-1-10623 XS-X2L

Microfiber Performance Glove

- + Microfiber palm
- + Spandex backhand
- + Cut-resistant palm lining
- + TPR backhand impact protection
- + Hook & loop wrist closure
- + Reinforced index finger & thumb



99-1-9677 S-X3L (7-12)

FR Nitrile/Neoprene Coated

13 ga. Aramid

- + 13 ga. FR aramid shell
- + FR nitrile/neoprene micro-foam palm coating
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff



20-1-10755 XS-X3L

Grain Goatskin Glove

w/5" Cuff

- + Oil-resistant grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + 5" split cowhide cuff w/reflective strip
- + Foam padded palm



20-1-10750 XS-X3L

- + Slip-on Cuff



20-1-10753 XS-X3L

- + 3" Cuff



Winter Lined

20-9-10750/20-9-10753/20-9-10755

BDG[®]
BOB DALE GLOVES

DENY

Hi-Viz
safety

Gauntlet
cuff

Oil
resistant

Impact
resistant

Padded
palm

Cut
resistant

Reinforced
thumb area

Abrasion
resistant

Puncture
resistant

Style #
20-1-10753



OIL RESISTANT. PROTECTION AND SAFETY SOLUTIONS



WATER RESISTANT

Whether it's from natural elements or water sources on your job site, protecting workers from liquids is important for their comfort and safety. These high-quality gloves keep hands comfortable and dry.



SCAN HERE
TO SEE MORE



20-1-288 XS-XL

Grain Cowhide Driver

- + Water-repellent grain cowhide palm & backhand
- + Slip-on cuff
- + Shirred elastic wrist
- + Gunn cut w/keystone thumb



99-1-9625 XS-XL (6-11)

Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 18 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle
- + Breathable inner membrane coating



20-1-10699 XS-X3L

Grain Goatskin Glove w/5" Cuff


- + Water-repellent grain goatskin leather
- + Cut-resistant lining
- + TPR backhand impact protection
- + 5" split cowhide cuff w/reflection strip
- + Foam padded palm



99-9-9793 XS-X2L (6-11)

Lined Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 7 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Reinforced thumb saddle
- + Breathable inner membrane coating



**99-1-820 M-X3L (8-12)****12" PVC Glove
w/Cotton Lining**

- + Triple dipped PVC shell w/textured finish
- + 12" overall length
- + Cotton lining
- + Anatomically formed

EN 388
4121X
EN 374-1/Type A
AJKLMPT

Winter Lined
99-9-821

**99-1-1715F S-X2L (7-11)****13" Nitrile Glove
w/Flock Lining**

- + 15 mil nitrile w/diamond patterned palm
- + 13" overall length
- + Flock lining
- + Latex free

EN 388
3101X
EN 374-1/Type A
AJKLMNOT

**99-1-764 One Size****14" PVC Glove w/ Cotton Lining**

- + Single dipped PVC shell w/smooth finish
- + 14" overall length
- + Cotton interlock lining

EN 388
4121

**99-1-502 One Size****12" PVC Glove w/Cotton Lining**

- + Single dipped PVC shell w/smooth finish
- + 12" overall length
- + Cotton interlock lining

**99-9-301 S-X2L (7-11)****Lined Full Latex Coated****15 ga. Nylon**

- + 15 ga. nylon shell
- + Foam latex palm coating over full coating
- + Thermal nylon/acrylic lining
- + Elastic knit wrist w/hemmed cuff

ANSI
A3
CUT
EN 388
2X31C
EN 407
X2XXXX
EN 511
X11
EN 1186

**99-1-9660 S-X2L (7-11)****Full Nitrile Coated 13 ga. HPPE**

- + 13 ga. HPPE shell
- + Nitrile palm coating over full coating
- + Elastic knit wrist w/hemmed cuff

ANSI
A3
CUT
EN 388
4X43C

**99-1-9166 One Size****Full Nitrile Coated Cotton
w/Safety Cuff**

- + Cotton shell
- + Full nitrile coating w/smooth finish
- + Rubberized safety cuff

EN 388
4111

**99-1-830 One Size****Full PVC Coated Cotton
w/Safety Cuff**

- + Cotton shell
- + Double dipped PVC coating w/smooth finish
- + Safety cuff

ANSI
5
ABR
EN 388
3121X



BDG[®]
BOB DALE GLOVES

DENY

Water resistant

Not chemical resistant

Cut resistant

Cold resistant

**Impact
resistant**

**Abrasion
resistant**

**Reinforced
thumb area**

**Puncture
resistant**

**Coated palm
& fingers**

**Touchscreen
friendly**

Style #
99-9-9793



**STAY PROTECTED AND
DRY WITH WATER RESISTANT
GLOVES FOR ANY TASK AT HAND**



COLD RESISTANT

When working outside in the frigid weather or inside in a cold room, you need to protect your hands from freezing temperatures and risk of frostbite. Our BDG® lined gloves and apparel are designed to protect workers in cold weather.

SCAN HERE
TO SEE MORE




99-9-300 S-X2L (7-11)

Lined Full Nitrile Coated

15 ga. Nylon

- + 15 ga. nylon shell
- + Foam nitrile knuckle coating over full coating
- + Thermal nylon/acrylic lining
- + Elastic knit wrist w/hemmed cuff




99-9-301 S-X2L (7-11)

Lined Full Latex Coated

15 ga. Nylon

- + 15 ga. nylon shell
- + Foam latex palm coating over full coating
- + Thermal nylon/acrylic lining
- + Elastic knit wrist w/hemmed cuff



99-9-265 S-X3L (7-12)

Lined ¾ Nitrile Coated

15 ga. Acrylic/Nylon

- + 15 ga. nylon/acrylic shell
- + Foam nitrile knuckle coating w/smooth finish
- + 10 ga. brushed lining
- + Elastic knit wrist w/hemmed cuff



99-1-7341 One Size

Full PVC Coated Acrylic w/Safety Cuff

- + Acrylic/polyester shell
- + Full PVC coating w/smooth finish
- + Safety cuff





20-9-10754 XS-X3L

**Lined Grain Goatskin Glove
w/3" Cuff**

- + Oil-resistant grain goatskin palm & backhand
- + Cut-resistant lining
- + C200 Thinsulate™ insulation
- + TPR backhand impact protection
- + 3" split cowhide cuff w/reflective strip

ANSI A5 CUT	ANSI 4 PUNCT	EN 388 3X4XX	EN 511 14X	ANSI HEAT 4 CONDUCTIVE
Cold	Cut	Heat	Impact	Oil Resistant



99-9-9625 XS-X2L (6-11)

Lined Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 7 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + Acrylic/polyurethane lining
- + Reinforced thumb saddle
- + Breathable inner membrane coating

ANSI A6 CUT	ANSI 4 ABR	ANSI 4 PUNCT	EN 511 X2X
Abrasion	Cold	Cut	Puncture



99-9-504 L-XL (9-10)

14" PVC Glove w/Winter Lining

- + PVC shell w/textured finish
- + 14" overall length
- + Cut-resistant para-aramid lining
- + Terry cloth insulation
- + TPR backhand impact protection
- + Anatomically formed

ANSI A5 CUT	ANSI 4 PUNCT	EN 374-1 AKLOPT	ANSI / ISEA 138 2
Cold	Abrasion	Chemical	Cut



99-9-9793 XS-X2L (6-11)

Lined Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 7 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Reinforced thumb saddle
- + Breathable inner membrane coating

ANSI A6 CUT	ANSI 4 ABR	ANSI 4 PUNCT	ANSI / ISEA 138 2
Water	Cold	Cut	Impact



99-9-830 One Size

Lined Full PVC Coated Polyester w/Safety Cuff

- + Polyester Shell
- + Double dipped PVC coating w/smooth finish
- + Acrylic lining
- + Safety cuff

ANSI 4 ABR	EN 388 3121X	EN 511 X1X
Cold	Abrasion	Liquid



30-9-373-A L-X2L

Lined Split Cowhide Fitter

- + Split cowhide palm, index & fingertips
- + Cotton backhand w/split leather knuckle strap
- + Heavy acrylic pile lining
- + Rubberized safety cuff

Cold	Durable	Leather
-------------	----------------	----------------



50-9-1290 S-X2L

Lined Grain Cowhide 1-Finger Mitt w/6.25" Cuff

- + Water-repellent grain cowhide palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + 6.25" split cowhide hi-viz gauntlet cuff w/gore
- + Shirred elastic wrist

ANSI A7 CUT	ANSI 5 PUNCT
Cold	Cut



60-9-1290 S-X2L

Lined Grain Cowhide Utility Glove w/6.25" Cuff

- + Water-repellent grain cowhide palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + 6.25" split cowhide hi-viz gauntlet cuff w/gore
- + Shirred elastic wrist

ANSI A7 CUT	ANSI 5 PUNCT
Cold	Cut





20-9-10360 XS-X2L

Lined Microfiber Performance Glove

- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + Touchscreen friendly
- + Reflective fingertips
- + Reinforced thumb saddle

ANSI
A5
CUT

ANSI
4
ABR

ANSI
3
PUNCT



20-9-10364 XS-X2L

Lined Microfiber Performance Glove (Cut/Touch Screen)

- + Cut-resistant lining
- + Slip-on cuff
- + C40 Thinsulate™ palm insulation, C100 Thinsulate™ backhand insulation
- + Touchscreen friendly

ANSI
A5
CUT

ANSI
4
ABR

ANSI
3
PUNCT



20-1-10008 S-X2L

Lined Synthetic Leather Performance Glove

- + Synthetic leather palm
- + Spandex backhand
- + Hook & loop wrist closure
- + C40 Thinsulate™ insulation w/Ski-Dri™ membrane



50-9-5010 XS-X3L

Lined Grain Goatskin Mitt

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + C150 Thinsulate™ insulation
- + 5" split cowhide gauntlet cuff
- + Keystone thumb

ANSI
A6
CUT

ANSI
4
ABR

ANSI
4
PUNCT

ANSI / ISEA 138
2



20-9-1200 S-X2L

Lined Split Cowhide Mechanics Glove

- + Split cowhide palm
- + Spandex backhand w/split leather knuckle strap
- + C100 Thinsulate™ insulation
- + Elastic wrist w/loop closure
- + Reinforced index finger, fingertips & thumb



99-9-9791 XS-X2L (6-11)

Lined Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 7 ga. inner shell
- + Nitrile palm coating w/textured finish
- + Acrylic lining
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff

ANSI
A6
CUT

ANSI
5
ABR

ANSI
4
PUNCT

ANSI / ISEA 138
2



20-9-5000 XS-X3L

Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + C100 Thinsulate™ insulation
- + Gunn cut w/keystone thumb
- + Stitched with Kevlar®

ANSI
A6
CUT

ANSI
4
ABR

ANSI
4
PUNCT

ANSI / ISEA 138
2



80-9-041101 S-X2L

Grain Deerskin Ski Glove w/Gauntlet Cuff

- + Grain deerskin palm
- + Nylon backhand
- + J150 Thinsulate™ insulation
- + Water-repellent membrane
- + Shirred elastic wrist w/adjustable strap
- + Gauntlet cuff w/drawstring
- + Reinforced thumb saddle & fingertips





TOUCH SCREEN

Interact with electronic screens and mobile devices while keeping your gloves on.
Our touch screen gloves are designed with a variety of quality-crafted and durable fabrics.



**SCAN HERE
TO SEE MORE**


TOUCH SCREEN



20-1-10360 XS-X2L

Microfiber Performance Glove

- + Cut-resistant lining
- + Slip-on cuff
- + Touchscreen friendly
- + Reflective fingertips
- + Reinforced thumb saddle



20-9-10360 XS-X2L

Lined Microfiber Performance Glove


- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + Touchscreen friendly
- + Reflective fingertips
- + Reinforced thumb saddle



20-1-10400 XS-X3L

Synthetic Leather Performance Glove

- + Synthetic leather palm
- + Cut-resistant aramid lining
- + TPR backhand impact protection
- + Foam padded palm
- + Touchscreen friendly



20-9-10400 XS-X3L

Lined Synthetic Leather Performance Glove

- + Synthetic leather palm
- + Cut-resistant aramid lining
- + C100 Thinsulate™ insulation
- + TPR backhand impact protection
- + Reinforced thumb saddle



20-1-10623 XS-X2L

Microfiber Performance Glove

- + Microfiber palm
- + Spandex backhand
- + Cut-resistant palm lining
- + TPR backhand impact protection
- + Hook & loop wrist closure
- + Reinforced index finger & thumb



99-1-8160 X2S-X3L (5-12)

NBR Coated 15 ga. HPPE

- + 15 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle





99-1-9793 XS-X2L (6-11)

Nitrile Coated HPPE


- + 13 ga. HPPE outer shell, 18 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Reinforced thumb saddle
- + Breathable inner membrane coating



99-9-9793 XS-X2L (6-11)

Lined Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 7 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Reinforced thumb saddle
- + Breathable inner membrane coating



99-1-9631 XS-X3L (6-12)

Nitrile Coated 18 ga. HPPE

- + 18 ga. Nylon/HPPE/steel wire shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff



99-1-9630 XS-X2L (6-11)

Nitrile Coated 13 ga. HPPE


- + 13 ga. Nylon/HPPE/steel wire shell
- + Foam nitrile palm coating w/smooth finish
- + Steel wire/cotton inner palm lining
- + Elastic knit wrist w/hemmed cuff
- + Needlestick Resistant



99-1-9430 X3S-X2L (4-11)

PU Coated 21 ga. HPPE


- + 21 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff



99-1-9500 XS-X2L (6-11)

Nitrile Coated 15 ga. HPPE


- + 15 ga. HPPE shell
- + Foam nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle



99-1-9778 S-X2L (7-11)

NBR Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff



99-1-9779 XS-X2L (6-11)

**PU Coated 15 ga.
Nylon/Copper**

- + 15 ga. nylon/copper shell
- + Polyurethane palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Anti-static
- + Dust-free fabric





GENERAL PURPOSE

Premium materials are selected for their durability, safety, fit, and comfort.
The right solution for the task at hand.



SCAN HERE
TO SEE MORE



30-1-1008Y One Size

**Split Cowhide Fitter
w/Safety Cuff**

- + Split cowhide palm, index finger & fingertips
- + Cotton backhand w/split leather knuckle strap
- + Fleece palm lining
- + Rubberized safety cuff
- + Inside elastic wrist
- + Gunn cut w/wing thumb



40-1-1512R One Size

**Grain Cowhide Fitter
w/Safety Cuff**

- + Grain cowhide palm, index finger & fingertips
- + Cotton backhand w/grain leather knuckle strap
- + Fleece palm lining
- + Rubberized safety cuff
- + Inside elastic wrist
- + Gunn cut w/wing thumb



30-9-373-A L-X2L

Lined Split Cowhide Fitter

- + Split cowhide palm, index & fingertips
- + Cotton backhand w/split leather knuckle strap
- + Heavy acrylic pile lining
- + Rubberized safety cuff



30-1-411PP One Size

**Split Cowhide Fitter
w/Safety Cuff & Patch Palm**


- + Split cowhide palm, index finger & fingertips
- + Cotton backhand w/split leather knuckle strap
- + Fleece palm lining
- + Inside elastic wrist
- + Gunn cut w/wing thumb
- + Patch palm



40-1-1511PP One Size

**Grain Cowhide Fitter
w/Safety Cuff & Patch Palm**

- + Grain cowhide palm, index finger & fingertips
- + Cotton backhand w/grain leather knuckle strap
- + Fleece palm lining
- + Rubberized safety cuff
- + Inside elastic wrist
- + Gunn cut w/wing thumb
- + Patch palm



30-1-W10EL One Size

**Split Cowhide Fitter
w/Safety Cuff**

- + Split cowhide palm, index finger & fingertips
- + Cotton backhand w/split leather knuckle strap
- + Fleece palm lining
- + Inside elastic wrist
- + Gunn cut w/wing thumb





20-1-1214 S-X2L
Grain Goatskin Mechanics Glove w/Padded Palm

- + Grain goatskin palm
- + Spandex backhand w/neoprene knuckles
- + Elastic wrist w/hook & loop closure
- + Keystone thumb
- + Foam padded palm
- + Reinforced fingertips



20-1-10605B S-X2L
Synthetic Leather Mechanics Glove w/Padded Palm

- + Synthetic leather palm
- + Spandex backhand w/padded neoprene knuckles
- + Elastic knit wrist w/hook & loop closure
- + Reinforced index finger, fingertips, thumb & thumb saddle



20-1-10603B S-X2L
Synthetic Leather Mechanics Glove

- + Synthetic leather palm
- + Spandex backhand w/padded neoprene knuckles
- + Elastic knit wrist w/hook & loop closure
- + Wing thumb
- + Reinforced index finger, fingertips & thumb



20-1-10015 S-X2L
Synthetic Leather Performance Glove w/Padded Palm

- + Synthetic leather palm
- + Spandex backhand w/neoprene knuckles
- + Elastic slip-on wrist
- + Wing thumb
- + Foam padded palm



20-1-1610 XS-X2L
Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Slip-on cuff
- + Shirred elastic wrist
- + Gunn cut w/keystone thumb



20-1-340 S-XL
Grain Sheepskin Driver

- + Grain sheepskin palm & backhand
- + Slip-on cuff
- + Shirred elastic wrist
- + Gunn cut w/keystone thumb




20-1-1581 S-X2L
Grain Cowhide Driver w/Keystone Thumb

- + Grain cowhide palm & backhand
- + Slip-on cuff
- + Shirred elastic wrist
- + Gunn cut w/keystone thumb



20-1-1571 S-X2L
Grain Cowhide Driver w/Straight Thumb

- + Grain cowhide palm & backhand
- + Slip-on cuff
- + Shirred elastic wrist
- + Gunn cut w/straight thumb





99-1-9802 X2S-X3L (5-12)

PU Coated Nylon


- + Nylon shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff



99-1-9779 XS-X2L (6-11)

**PU Coated 15 ga.
Nylon/Copper**


- + 15 ga. nylon/copper shell
- + Polyurethane palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Anti-static
- + Dust-free fabric



99-1-9770 X2S-X2L (5-11)

PU Coated 18 ga. HPPE

- + 18 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff



99-1-9780 XS-X3L (6-12)

PU Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff



99-1-9880 XS-X2L (6-11)

PU Coated Nylon

- + Nylon shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff



99-1-9781 XS-X2L (6-11)

PU Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Foam polyurethane palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff



99-1-9865 XS-X2L (6-11)

PU Coated 18 ga. Nylon


- + 18 ga. nylon shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff



99-1-275BP XS-XL (6-10)

Latex Coated Poly/Cotton

- + Poly-cotton shell
- + Latex palm coating w/crinkle finish
- + Elastic knit wrist w/hemmed cuff





99-1-9606 X2S-X3L (5-12)

**Nitrile Coated 15 ga.
Nylon/Spandex**

- + 15 ga. nylon/spandex shell
- + Foam nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI
4
ABREN 388
4131

99-1-9860 XS-X3L (7-12)

Nitrile Coated 15 ga. Nylon

- + 15 ga. nylon shell
- + Foam nitrile palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

EN 407
X1XXXXANSI
HEAT 1
CONDUCTIVEEN 388
4131X

99-1-9799 XS-X2L (6-11)

Nitrile Coated Nylon

- + Nylon shell
- + Foam nitrile palm coating w/porous finish
- + Elastic knit wrist w/hemmed cuff

ANSI
A1
CUTEN 388
4132X

99-1-9800 XS-X2L (6-11)

Nitrile Coated Nylon

- + Nylon shell
- + Foam nitrile palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

ANSI
A1
CUTEN 388
4121

99-1-265 S-X3L (7-12)

**Lined 3/4 Nitrile Coated
15 ga. Acrylic/Nylon**

- + 15 ga. nylon/acrylic shell
- + Foam nitrile knuckle coating w/smooth finish
- + 10 ga. brushed lining
- + Elastic knit wrist w/hemmed cuff

EN 388
4232XEN 511
X2X

99-1-9610KD X2S-X3L (5-12)

**3/4 Nitrile Coated 15 ga.
Nylon/Spandex**

- + 15 ga. nylonspandex shell
- + Nitrile knuckle coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

EN 388
4131

99-1-9730 XS-X2L (6-11)

Nitrile Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Foam nitrile palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

ANSI
A2
CUTEN 388
4344X

99-1-9605 X2S-X3L (5-12)

**Nitrile Coated 15 ga.
Nylon/Spandex**

- + 15 ga. nylonspandex shell
- + Foam nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI
HEAT 2
CONDUCTIVEEN 388
4131XEN 407
X1XXXX



WELDING PRODUCT

Working with metal requires protection against heat, cuts, and abrasions. Our Gander Brand® welder gloves are designed for TIG, MIG, stick, and general welding tasks while offering durability, dexterity, and comfort.



SCAN HERE
TO SEE MORE



60-1-1810 S-X2L

Grain Cowhide Welder

w/5" Cuff

- + Grain cowhide palm & backhand
- + Cotton/foam backhand lining
- + 5" split cowhide gauntlet cuff
- + Gunn cut w/straight thumb & thumb strap
- + Stitched with Kevlar®



60-1-1818KV XS-X2L

Grain Cowhide Welder

w/5" Cuff

- + Grain cowhide palm, thumb & index finger
- + Cut-resistant Kevlar® lining
- + 5" split cowhide gauntlet cuff
- + Wing thumb w/thumb strap
- + Stitched with Kevlar®



60-1-1940 S-X2L

Grain Goatskin TIG Welder w/5" Cuff & Heat Patch

- + Grain goatskin palm & backhand
- + FR cotton backhand lining
- + 5" split cowhide gauntlet cuff
- + Backhand heat patch
- + Foam padded palm & reinforced thumb saddle
- + Stitched with Kevlar®



60-1-1949 S-X2L

Grain Goatskin Welder w/4" Cuff

- + Grain goatskin palm & backhand
- + 4" split cowhide gauntlet cuff
- + Straight thumb
- + Foam padded palm
- + Stitched with Kevlar®





60-9-1942 XS-XL

Lined Grain Cowhide MIG Welder w/5" Cuff

- + Grain cowhide palm & backhand
- + Fleece lining
- + 5" split cowhide gauntlet cuff
- + Shirred elastic wrist
- + Reinforced palm, backhand & thumb saddle
- + Stitched with Kevlar®



60-9-7800 One Size

Lined Split Cowhide Welder w/5.5" Cuff

- + Split cowhide palm & backhand
- + Cotton palm lining, foam backhand lining
- + Gunn cut w/wing thumb & thumb strap
- + Stitched with Kevlar®
- + Welted seams



64-1-1525 S-XL

Grain Deerskin TIG Welder w/5.5" Cuff & Heat Patch

- + Reverse grain deerskin palm & backhand
- + 5.5" split cowhide gauntlet cuff w/gore
- + Clute cut w/straight thumb & thumb strap
- + Left hand heat patch



60-1-1274 S-XL

Grain Cowhide Welder w/5" Cuff

- + Grain cowhide palm & backhand
- + 5" split cowhide gauntlet cuff
- + Gunn cut w/straight thumb & thumb strap
- + Stitched with Kevlar®
- + Welted fingertips



60-1-1720 S-XL

Grain Goatskin TIG Welder w/5" Cuff

- + Grain goatskin palm & backhand
- + 5" split cowhide gauntlet cuff
- + Gunn cut w/wing thumb & thumb strap
- + Stitched with Kevlar®



64-1-1145 S-XL

Split Deerskin TIG Welder w/5" Cuff & Heat Patch

- + Split deerskin palm & backhand
- + 5" split cowhide gauntlet cuff
- + Clute cut w/straight thumb & thumb strap
- + Left hand heat patch



60-1-1144 S-XL

Split Deerskin TIG Welder

- + Split deerskin palm & backhand
- + 5.5" split cowhide gauntlet cuff
- + Clute cut w/straight thumb & thumb strap
- + Stitched with Kevlar®



64-1-1141 XS-XL

Split Deerskin TIG Welder w/5" Cuff

- + Split deerskin palm & backhand
- + 5" split cowhide gauntlet cuff
- + Clute cut w/straight thumb & thumb strap



SCAN HERE
TO LEARN MORE



The G3 Solutions process is designed with hand safety as our top priority. We do this by working as a team with the distributors and end users to find the right solution for your hand and glove safety needs.

Identifying the right glove for the right task is crucial – BDG will tour your sites to evaluate hand risks and safety needs for each step of your operation. G3 Solutions focuses on hand safety, while rationalizing your overall inventory and costs, which in turn is designed to prevent injuries and lost time. We do this by working with your teams to find solutions built through on-site testing by your people. This personal approach allows us to work with you and your distributors to customize a glove program that fits your needs.

<p>HEAT CLASS RESISTANT</p> <p>ARCTEK®</p>	<p>CUT/PUNCTURE RESISTANT</p> <p>CUT-X®</p>	<p>TRADES & HIGH PERFORMANCE</p> <p>X-SITE®</p>	<p>ELEMENTS PROTECTION</p> <p>DENY®</p>	<p>WELDING GLOVES & GEAR</p> <p>GANDER BRAND</p>	<p>ECOLOGICAL PRODUCTS</p> <p>BDG planet™</p>
--	---	---	---	--	---

BDG
BOB DALE GLOVES

Bob Dale Gloves Canada
4504 - 82 Ave. Edmonton, AB T6B 2S4
Ph: (780) 469-2100 | 1-800-661-7303
Bob Dale Gloves USA
2135 W. Obispo Ave. Gilbert, AZ 85233
Toll Free: 1-855-215-7113

Information contained in this document is subject to change without notice. As Bob Dale Gloves and Imports Ltd. cannot control or anticipate the conditions under which this product may be used, each user should review the information in specific context of the planned use. To the maximum extent permitted by law, Bob Dale Gloves and Imports Ltd., and/or its affiliates, employees or representatives will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given other than those implied mandatory by law.

BOBDALEGLOVES.COM

Revision Date: May 2, 2023