

BDG[®]

BOB DALE GLOVES



SCAN HERE
TO SEE MORE

THE RIGHT SOLUTION FOR THE TASK AT HAND



BOBDALEGLOVES.COM

ANSI/ISEA 105-2024

NEW LOOK. SAME HIGH LEVEL OF PROTECTION.

SAFETY ICONS WITH EASIER-TO-IDENTIFY LEVELS OF PROTECTION


Look for a new safety icon combining ANSI/ISEA 105 Abrasion, Cut and Puncture resistance standards. It's a simple change designed to make it easier to identify the protection levels offered by your work gloves.

While no changes are being made in the current levels of protection, or the testing methods used, for the ANSI/ISEA 105 abrasion, cut and puncture resistance standards—the new pentagon-shaped icon will make it easier for end users to choose, and for distributors to supply, the right level of hand protection for any task.



NEW SAFETY ICON

ANSI/ISEA 105



OLD SAFETY ICONS



Eliminating the multiple icons showing the levels of abrasion, cut and puncture resistance, the new icon combines all three levels of protection. It will also clearly display whether the gloves being used offer one, two, or all three classifications of protection offered, as can be seen in the following examples.

ANSI/ISEA 105



All
Classifications

ANSI/ISEA 105



Cut Resistance
Only

ANSI/ISEA 105



Abrasion Resistance
Only

ANSI/ISEA 105



Abrasion and Puncture
Resistance

CUT RESISTANT

Our cut-resistant gloves are engineered for safety and dexterity in high-risk environments. Crafted from advanced materials, they provide superior protection against cuts and abrasions while ensuring a comfortable fit. The gloves feature a secure grip for precise handling, making them perfect for industries like construction, manufacturing, and food processing. With our cut-resistant gloves, you can work confidently, knowing your hands are safeguarded without sacrificing agility.

SCAN HERE
TO SEE MORE



NEW



99-1-4005 S-X4L (7-13)

Nitrile Coated 10 ga. Aramid

- + 10 ga. aramid shell
- + Foam nitrile palm coating
- + Elastic knit wrist w/hemmed cuff
- + Nitrile dotted grip

ANSI/SEA 105
A5
6 X

EN 407
X1XXXX

FDA



NEW



99-1-9602 X2S-X3L (5-12)

PU Coated 15 ga. HPPE

- + 15 ga. HPPE shell
- + Nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/SEA 105
A5
6 5



NEW



99-1-9640 X3S-X3L (4-12)

PU Coated 18 ga. HPPE

- + 18 ga. HPPE shell
- + Polyurethane palm coating
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/SEA 105
A9
3 3



NEW



99-1-9641 X2S-X3L (5-12)

NBR Coated 18 ga. HPPE

- + 18 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/SEA 105
A9
4 4



NEW



99-1-9690 S-X2L (7-11)

Silicone Coated 18 ga. HPPE

- + 18 ga. HPPE shell
- + Silicone palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

ANSI/SEA 105
A9
6 3

EN 407
X1XXXX

3M™ Scotchgard™



NEW



99-1-9773 X2S-X3L (5-12)

NBR Coated 18 ga. HPPE

- + 18 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/SEA 105
A4
X X

EN 388
3101X





99-1-9789 XS-X4L (6-13)

Nitrile Coated 18 ga. HPPE

- + 18 ga. HPPE shell
- + Foam nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105



99-1-9794 XS-X4L (6-13)

Nitrile Coated 21 ga. HPPE

- + 21 ga. HPPE shell
- + Foam nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105



99-1-9796 XS-X4L (6-13)

Nitrile Coated 18 ga. HPPE

- + 18 ga. HPPE shell
- + Foam nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105




20-1-10698 XS-X3L

Grain Goatskin Glove w/3" Cuff

- + Water-repellent grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + 3" split cowhide cuff w/reflective strip
- + Shirred elastic wrist

ANSI/ISEA 105



20-1-1600 XS-X2L

Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant Kevlar® lining
- + Slip-on cuff
- + Shirred elastic wrist

ANSI/ISEA 105



EN 388



NFPA 70E



20-1-5000 XS-X3L

Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + Slip-on cuff

ANSI/ISEA 105



20-9-5005 XS-X3L

Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + TPR backhand impact protection
- + 5" split cowhide gauntlet cuff

ANSI/ISEA 105



99-1-310 10"-20"

Hi-Viz Cut Resistant Sleeve

- + Cut-resistant polyethylene/fiberglass shell
- + Various lengths available
- + No thumbhole
- + Sold individually

ANSI/ISEA 105





99-1-315 10"-20"

Hi-Viz Cut Resistant Sleeve w/ Thumb Hole

- + Cut-resistant polyethylene/fiberglass shell
- + Various lengths available
- + Thumbhole
- + Sold individually

ANSI/ISEA 105
A4
X X



99-1-325 10"-20"

Cut-Resistant Sleeve w/Thumb Hole

- + Cut-resistant polyethylene/fiberglass shell
- + Various lengths available
- + Thumbhole
- + Sold individually

ANSI/ISEA 105
A4
X X

ANSI
HEAT
2
CONDUCTIVE



99-1-9630 XS-X2L (6-11)

Nitrile Coated 13 ga. HPPE

- + 13 ga. nylon/HPPE/steel wire shell
- + Foam nitrile palm coating w/smooth finish
- + Steel wire/cotton inner palm lining
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105
A9
X 5

ANSI
5
NEEDLE
PALM ONLY



99-1-9430 X3S-X2L (4-11)

PU Coated 21 ga. HPPE

- + 21 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105
A3
2 3



99-1-9623 XS-X2L (6-11)

Double Nitrile Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Double dipped nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105
A3
4 4

ANSI
HEAT
1
CONDUCTIVE



99-1-9626 X2S-X4L (5-13)

Nitrile Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105
A6
3 4

ANSI
HEAT
2
CONDUCTIVE

FDA



99-1-9629 XS-X4L (6-13)

Nitrile Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105
A9
3 5

FDA



99-1-9632 XS-X2L (6-11)

Silicone Coated 13 ga. HPPE

- + 18 ga. Nylon/HPPE/steel wire shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105
A5
6 3

ANSI
HEAT
1
CONDUCTIVE

EN 407
X1XXXX






99-1-9660 S-X2L (7-11)

Full Nitrile Coated 13 ga. HPPE


- + 13 ga. HPPE shell
- + Nitrile palm coating over full coating
- + Elastic knit wrist w/hemmed cuff



99-1-9740 S-X2L (7-11)

PU Coated 13 ga. Dyneema®


- + 13 ga. Dyneema® shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff



99-1-9770 X2S-X2L (5-11)

PU Coated 18 ga. HPPE


- + 18 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff



99-1-9772 X2S-X3L (5-12)

NBR Coated 18 ga. HPPE


- + 18 ga. HPPE/fiberglass shell
- + Foam NBR palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff



99-1-9780 XS-X3L (6-12)

PU Coated 13 ga. HPPE


- + 13 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff



99-1-9781 XS-X2L (6-11)

PU Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Foam polyurethane palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff



99-1-9790 XS-X2L (6-11)

Nitrile Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff



99-1-9791 XS-X2L (6-11)

Nitrile Coated HPPE

- + HPPE shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff



LIGHTWEIGHT 21 GAUGE CUT RESISTANT GLOVES

A FULL SPECTRUM OF **HAND PROTECTION**

XS-X3L (6-12)



SCAN HERE
TO SEE MORE



99-1-9591

- Abrasion
- Cut
- Puncture
- Breathable
- Dexterity
- Grip
- Coverage
- Touchscreen



COLD RESISTANT

Our cold-resistant gloves are specifically designed to keep your hands warm and comfortable in frigid conditions. Made with high-quality insulation and water-resistant materials, these gloves provide excellent thermal protection while allowing for dexterity and grip. Perfect for outdoor activities, winter sports, and cold storage environments, they ensure you can work and play effectively, no matter the temperature.

SCAN HERE
TO SEE MORE



20-9-10360 XS-X2L

Lined Microfiber Performance Glove

- + Microfiber palm
- + Spandex backhand
- + Cut-resistant lining
- + C100 Thinsulate™ backhand insulation

ANSI/ISEA 105



20-9-10364 XS-X2L

Lined Microfiber Performance Glove

- + Microfiber palm
- + Spandex backhand
- + Cut-resistant lining
- + C40 Thinsulate™ palm insulation, C100 Thinsulate™ backhand insulation

ANSI/ISEA 105



20-9-10698 XS-X3L

Lined Grain Goatskin Glove w/3" Cuff

- + Water-repellent grain goatskin palm & backhand
- + Cut-resistant lining
- + FR120 Thinsulate™ insulation
- + TPR backhand impact protection

ANSI/SEA 105



ANSI



ANSI / ISEA 138



Water

Cold

Cut

Heat

Impact

Hi-Viz



20-9-10750 XS-X3L

Lined Grain Goatskin Driver

- + Oil-resistant grain goatskin palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + TPR backhand impact protection
- + Slip-on cuff

ANSI/SEA 105



ANSI



ANSI / ISEA 138



Cold

Cut

Heat

Impact

Oil Resistant

Puncture



20-9-1581TFL S-X2L

Lined Grain Cowhide Driver

- + Grain cowhide palm & backhand
- + C100 Thinsulate™ insulation
- + Slip-on cuff
- + Gunn cut w/straight thumb

Cold

Durable

Leather



20-9-1600 XS-X3L

Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant Kevlar® lining
- + C100 Thinsulate™ insulation
- + Slip-on cuff

ANSI/SEA 105



EN 388

Cold

Cut

Puncture

Durable

Leather



20-9-1610 XS-X2L

Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + C100 Thinsulate™ insulation
- + Slip-on cuff
- + Shirred elastic wrist

ANSI/ISEA 105
X 3



20-9-1871 S-X3L

Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + Slip-on cuff

ANSI/ISEA 105
A5 X 3



20-9-5000 XS-X3L

Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + TPR backhand impact protection

ANSI/ISEA 105 ANSI / ISEA 138
A6 4 4 2



30-9-373-A L-X2L

Lined Split Cowhide Fitter w/Safety Cuff

- + Split cowhide palm, index finger & fingertips
- + Cotton backhand w/split leather knuckle strap
- + Heavy acrylic pile lining
- + Rubberized safety cuff



30-9-473TFL L-X2L

Lined Split Cowhide Fitter w/Safety Cuff

- + Split cowhide palm, index finger & fingertips
- + Cotton backhand w/split leather knuckle strap
- + C100 Thinsulate™ insulation
- + Rubberized safety cuff



NEW



40-9-1800 L-X2L

Lined Grain Goatskin Fitter w/Safety Cuff

- + Grain goatskin palm
- + Hi-viz polyester backhand w/grain leather knuckle strap & reflective strip
- + C100 Thinsulate™ insulation
- + Safety cuff



50-9-5010 XS-X3L

Lined Grain Goatskin Mitt w/5" Cuff

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + TPR backhand impact protection

ANSI/ISEA 105 ANSI / ISEA 138
A6 4 4 2



50-9-5011 XS-X3L

Lined Grain Goatskin Mitt w/5" Cuff

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + C150 Thinsulate™ insulation
- + TPR backhand impact protection

ANSI/ISEA 105 ANSI / ISEA 138
A6 4 4 2





80-9-1290 S-X2L

Lined Grain Cowhide Utility Glove w/6.25" Cuff

- + Water-repellent grain cowhide palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + 6.25" split cowhide hi-viz gauntlet cuff w/gore

ANSI/SEA 105



80-9-041101 S-X2L

Grain Deerskin Ski Glove w/Gauntlet Cuff

- + Grain deerskin palm
- + Nylon backhand
- + J150 Thinsulate™ insulation
- + Water-repellent membrane



NEW



80-9-2001 M-XL

Wool/Acrylic Flip Mitt w/PVC Dots

- + 7 ga. acrylic/merino wool knit
- + Terry cloth lining
- + Elastic knit wrist
- + PVC dotted grip
- + Mitt converts to fingerless glove



NEW



80-9-2002 M-XL

Wool/Acrylic Glove w/PVC Dots

- + 7 ga. acrylic/merino wool knit
- + Terry cloth lining
- + Elastic knit wrist
- + PVC dotted grip



NEW



80-9-2010 S-XL

Wool Glove w/PVC Grip

- + Rag wool knit
- + Elastic knit wrist
- + PVC grip pattern



NEW



80-9-2015 S-XL

Wool Glove w/PVC Grip

- + Merino wool knit
- + Elastic knit wrist
- + PVC grip pattern



NEW



80-9-2025 S-XL

Wool/Acrylic Glove w/PVC Grip

- + Acrylic/merino wool knit
- + Elastic knit wrist
- + PVC grip pattern



NEW



80-9-2030 S-XL

Acrylic Glove w/PVC Grip

- + Acrylic knit
- + Elastic knit wrist
- + PVC grip pattern



NEW**80-9-2035 S-XL****Poly-Cotton Glove w/PVC Dots**

- + Poly-cotton knit
- + Elastic knit wrist
- + PVC grip pattern

**90-0-613 ONE SIZE****Knit Toque w/FR Fibre**

- + Meta-aramid fiber
- + Interlock knit
- + 2 layers (290 GSM)

**90-0-614 ONE SIZE****Knit Toque w/FR Fibre**

- + Meta-aramid fiber
- + Rib waffle knit
- + 2 layers (310 GSM)

**99-9-265 S-X3L (7-12)****Lined 3/4 Nitrile Coated****15 ga. Acrylic/Nylon**

- + 15 ga. nyl/acr shell
- + Foam nitrile knuckle coating w/smooth finish
- + 10 ga. brushed lining
- + Elastic knit wrist w/hemmed cuff

EN 388

EN 511

4232X

X2X

**99-9-300 S-X2L (7-11)****Lined Full Nitrile Coated
15 ga. Nylon**

- + 15 ga. nyl shell
- + Foam nitrile knuckle coating over full coating
- + Thermal nyl/acr lining
- + Elastic knit wrist w/hemmed cuff

**99-9-301 S-X2L (7-11)****Lined Full Latex Coated
15 ga. Nylon**


- + 15 ga. nyl shell
- + Foam latex palm coating over full coating
- + Thermal nyl/acr lining
- + Elastic knit wrist w/hemmed cuff

**NEW****99-9-3018 S-X2L (7-11)****Lined Full Nitrile Coated HPPE**

- + 18 ga. HPPE outer shell, 10 ga. HPPE inner shell
- + Foam nitrile knuckle coating over full coating
- + Cut-resistant lining
- + Elastic knit wrist w/hemmed cuff

**NEW****99-9-3360 XS-X2L (6-11)****Lined Nitrite Coated 18 ga. HPPE**

- + 18 ga. HPPE shell
- + Foam nitrile palm coating w/textured finish
- + Acrylic insulation
- + Elastic knit wrist w/hemmed cuff





99-9-3361 XS-X2L (6-11)

Lined ¾ Nitrile Coated 15 ga. HPPE

- + 15 ga. HPPE shell
- + Foam nitrile knuckle coating w/textured finish
- + Fleece lining
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



EN 511



X2X



99-9-3366 XS-X4L (6-13)

Lined Microfiber-Reinforced 13 ga. HPPE

- + 13 ga. HPPE shell w/microfiber palm
- + Fleece lining
- + TPR backhand impact protection
- + Reinforced thumb saddle

ANSI/ISEA 105



ANSI / ISEA 138



99-9-821 L-X2L (9-11)

12" PVC Glove w/BOA Lining

- + Triple dipped PVC shell w/textured finish
- + 12" overall length
- + BOA acrylic thermal lining
- + Hemmed cuff

EN 388



EN 374-1/Type A

4121X AJKLMPT



99-9-9625 XS-X2L (6-11)


Lined Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 7 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + Acrylic Insulation
- + Reinforced thumb saddle
- + Waterproof polyurethane inner membrane

ANSI/ISEA 105



EN 511



99-9-9791 XS-X2L (6-11)

Lined Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 7 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + Acrylic lining
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



ANSI / ISEA 138



99-9-9793 XS-X2L (6-11)

Lined Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 7 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + Acrylic Insulation
- + TPR backhand impact protection
- + Waterproof polyurethane inner membrane

ANSI/ISEA 105



ANSI / ISEA 138



PUNCTURE RESISTANT

Ideal for industries such as construction, logistics, and manufacturing, our gloves are rigorously tested for durability and performance, giving users the confidence to work safely and efficiently. Experience the perfect blend of safety and comfort with our puncture-resistant gloves, tailored to meet the needs of professionals everywhere.

SCAN HERE
TO SEE MORE



99-1-5403 XS-X3L (6-12)

PU Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Polyurethane palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



99-1-5408 XS-X3L (6-12)

PU Coated 18 ga. HPPE

- + 18 ga. HPPE shell
- + Polyurethane palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



99-1-5418 XS-X3L (6-12)

PU Coated 18 ga. HPPE

- + 18 ga. HPPE shell
- + Polyurethane palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



99-1-9430 X3S-X2L (4-11)

PU Coated 21 ga. HPPE

- + 21 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



99-1-9623 XS-X2L (6-11)

Double Nitrile Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Double dipped nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



ANSI
HEAT
1
CONDUCTIVE



99-1-9626 X2S-X4L (5-13)

Nitrile Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



ANSI
HEAT
2
CONDUCTIVE



FDA





99-1-9770 X2S-X2L (5-11)

PU Coated 18 ga. HPPE

- + 18 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105 EN 388
A4 1
X X
4X43D



99-1-9772 X2S-X3L (5-12)

NBR Coated 18 ga. HPPE

- + 18 ga. HPPE/fiberglass shell
- + Foam NBR palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105 ANSI EN 388
A4 HEAT 1
X CONDUCTIVE
4X44D




99-1-9780 XS-X3L (6-12)

PU Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105 EN 388
A2 6
X 1
4242B



99-1-9791 XS-X2L (6-11)

Nitrile Coated HPPE

- + HPPE shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105 ANSI / ISEA 138
A5 2
6 3



20-1-5000 XS-X3L

Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + Slip-on cuff

ANSI/ISEA 105 ANSI / ISEA 138
A6 4
4 4



20-1-1600 XS-X2L

Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant Kevlar® lining
- + Slip-on cuff
- + Shirred elastic wrist

ANSI/ISEA 105 ANSI EN 388 NFPA 70E
A4 HEAT 2 X5XX ATPV 25.4 Cal/cm²
3 CONDUCTIVE 2 CAT 4



20-1-1610 XS-X2L

Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Slip-on cuff
- + Shirred elastic wrist
- + Gunn cut w/keystone thumb

ANSI/ISEA 105
X 3



20-9-1610 XS-X2L

Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + C100 Thinsulate™ insulation
- + Slip-on cuff
- + Shirred elastic wrist

ANSI/ISEA 105
X 3



HEAT RESISTANT

Made with advanced materials such as aramid fibers and silicone, our gloves offer excellent thermal insulation while maintaining flexibility and grip. Ideal for applications in welding, metal handling, and high-heat environments, our gloves are rigorously tested to ensure durability and safety. Our heat-resistant gloves provide the perfect balance of comfort and protection, allowing professionals to work confidently in even the hottest conditions.


SCAN HERE
TO SEE MORE



20-1-1600 XS-X2L

Grain Goatskin Driver


- + Grain goatskin palm & backhand
- + Cut-resistant Kevlar® lining
- + Slip-on cuff
- + Shirred elastic wrist



20-1-10750 XS-X3L

Grain Goatskin Driver

- + Oil-resistant grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + Slip-on cuff
- + Shirred elastic wrist



20-1-10698 XS-X3L

Grain Goatskin Glove w/3" Cuff

- + Water-repellent grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + 3" split cowhide cuff w/reflective strip
- + Shirred elastic wrist



64-1-1525 S-X2L

Grain Deerskin TIG Welder w/5.5" Cuff & Heat Patch


- + Reverse grain deerskin palm & backhand
- + 5.5" split cowhide gauntlet cuff w/gore
- + Clute cut w/straight thumb & thumb strap
- + Left hand heat patch



99-1-9632 XS-X2L (6-11)

Silicone Coated 13 ga. HPPE


- + 18 ga. Nylon/HPPE/steel wire shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff



99-1-9660 S-X2L (7-11)

Full Nitrile Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Nitrile palm coating over full coating
- + Elastic knit wrist w/hemmed cuff





99-1-9605 x2S-X3L (5-12)

Nitrile Coated 15 ga. Nylon/Spandex


- + 15 ga. nylong/Spandex shell
- + Foam nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff



99-1-9623 XS-X2L (6-11)

Double Nitrile Coated 13 ga. HPPE


- + 13 ga. HPPE shell
- + Double dipped nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff



99-1-9626 x2S-X4L (5-13)

Nitrile Coated 13 ga. HPPE


- + 13 ga. HPPE shell
- + Nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff



99-1-9772 X2S-X3L (5-12)

NBR Coated 18 ga. HPPE


- + 18 ga. HPPE/fiberglass shell
- + Foam NBR palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff



99-1-9860 S-XL (7-11)

Nitrile Coated 15 ga. Nylon


- + 15 ga. nylong shell
- + Foam nitrile palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff



99-1-320 10"-20"

Cut-Resistant Sleeve


- + Cut-resistant polyethylene/fiberglass shell
- + Various lengths available
- + No thumbhole
- + Sold individually



99-1-330 10"-20"

Cut-Resistant Sleeve


- + Cut-resistant polyethylene/steel shell
- + Various lengths available
- + No thumbhole
- + Sold individually



99-1-335 10"-20"

Cut-Resistant Sleeve w/ Thumb Hole

- + Cut-resistant polyethylene/steel shell
- + Various lengths available
- + Thumbhole
- + Sold individually



FOOD PROCESSING

Crafted from durable, food-safe materials such as nitrile and polyethylene, our gloves provide excellent barrier protection against contaminants while ensuring comfort and dexterity. Available in various sizes and thicknesses, they are ideal for tasks ranging from food preparation to packaging. Our gloves are resistant to tears and punctures, making them reliable for both handling raw and cooked foods.

SCAN HERE
TO SEE MORE



99-1-6000B S-X2L

6 mil Nitrile Disposable Gloves

- + 6 mil nitrile
- + Double sided traction grip
- + Powder free
- + Latex free

EN 374-1/Type B EN 374-5 EN 1186
JKPT VIRUS



99-1-6100B S-X2L

6 mil Nitrile Disposable Gloves

- + 6 mil nitrile
- + Double sided traction grip
- + Powder free
- + Latex free

EN 374-1/Type B EN 374-5 EN 1186
JKPT VIRUS



99-1-6200B S-X3L

8 mil Nitrile Disposable Gloves

- + 8 mil nitrile
- + Double sided traction grip
- + Powder free
- + Latex free

EN 374-1/Type B EN 374-5 EN 1186
JKPT VIRUS



99-1-6000P S-X2L

6 mil Nitrile Disposable Gloves

- + 6 mil nitrile
- + Double sided traction grip
- + Powder free
- + Latex free

EN 374-1/Type B EN 374-5 EN 1186
JKPT VIRUS



99-1-6350 S-XL

5 mil Tri-Polymer Disposable Gloves

- + 5 mil tri-polymer
- + Fully textured
- + Powder free
- + Beaded cuff

EN 374-1/Type B EN 374-5 EN 1186
KOP VIRUS



99-9-300 S-X2L (7-11)

Lined Full Nitrile Coated 15 ga. Nylon

- + 15 ga. nylon shell
- + Foam nitrile knuckle coating over full coating
- + Thermal nylon/acrylic lining
- + Elastic knit wrist w/hemmed cuff

ANSI/SEA 105 EN 388 EN 511 EN 1186
A3 X X 4X32D X11

Abrasion Cold Cut Puncture Water Food Safe



99-9-301 S-X2L (7-11)

Lined Full Latex Coated 15 ga. Nylon

- + 15 ga. nylon shell
- + Foam latex palm coating over full coating
- + Thermal nylon/acrylic lining
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105	EN 388	EN 511	EN 407	EN 1186
A3 X X	2X31C	X11	X2XXXX	



99-1-4003 S-X3L (7-12)

Uncoated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Elastic knit wrist w/hemmed cuff
- + Washable

ANSI/ISEA 105	EN 388	EN 1186
A6 X X	3X43F	



99-1-4005 S-X4L (7-13)

Nitrile Coated 10 ga. Aramid

- + 10 ga. aramid shell
- + Foam nitrile palm coating
- + Elastic knit wrist w/hemmed cuff
- + Nitrile dotted grip

ANSI/ISEA 105	EN 407	FDA
A5 6 X	X1XXXX	



99-1-4007 M-X2L (8-11)

Silicone Coated 7 ga. HPPE

- + 7 ga. HPPE shell
- + Elastic knit wrist w/hemmed cuff
- + Silicone grip pattern

ANSI/ISEA 105	EN 388	EN 407	EN 1186
A9 X X	3X4XF	X2XXXX	



99-1-4010 X2S-X3L (5-12)

Uncoated 10 ga. HPPE

- + 10 ga. HPPE shell
- + Elastic knit wrist w/hemmed cuff
- + Washable

ANSI/ISEA 105	EN 388	EN 1186
A9 X X	3X4XF	



99-1-4013 S-X3L (7-12)

Nitrile Coated 13 ga. HPPE

- + 13 ga. nylon/spandex shell
- + Foam nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Washable

ANSI/ISEA 105	EN 388	EN 407	EN 1186
A6 X X	4X43F	X1XXXX	



99-1-4015 X2S-X3L (5-12)

Nitrile Coated 15 ga. Nylon/Spandex

- + 15 ga. nylonspandex shell
- + Foam nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Washable

EN 388	EN 407	EN 1186
4131X	X1XXXX	



99-9-3018 S-X2L (7-11)

Lined Full Nitrile Coated HPPE

- + 18 ga. HPPE outer shell, 10 ga. HPPE inner shell
- + Foam nitrile knuckle coating over full coating
- + Cut-resistant lining
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105	EN 388	EN 407	EN 511	FDA
A6 X X	4X42F	X2XXXX	X21	

CHEMICAL RESISTANT

Our chemical-resistant gloves are designed for maximum protection and comfort in hazardous environments. Made from high-quality materials, they offer exceptional resistance to a wide range of chemicals, ensuring your hands stay safe during even the most demanding tasks. With a secure grip and ergonomic fit, these gloves provide the dexterity you need while keeping you protected. Ideal for industrial, laboratory, and cleaning applications, trust our gloves to deliver the durability and performance you require.

SCAN HERE
TO SEE MORE



99-1-6000B S-X2L

6 mil Nitrile Disposable Gloves

- + 6 mil nitrile
- + Double sided traction grip
- + Powder free
- + Latex free

EN 374-1/Type B EN 374-5 EN 1186

JKPT VIRUS



99-1-6800P S-X3L

6 mil Nitrile Disposable Gloves

- + 6 mil nitrile
- + Fully textured
- + Powder free/Ambidextrous
- + Touchscreen friendly
- + Tested for fentanyl protection

EN 374-1/Type B EN 374-5 FDA

JKPT VIRUS



99-1-6300 S-XL

6 mil Tri-Polymer Disposable Gloves

- + 6 mil tri-polymer
- + Fully textured
- + Powder free
- + Beaded cuff

EN 374-1/Type B EN 374-5

KOT



99-1-6350 S-XL

5 mil Tri-Polymer Disposable Gloves

- + 5 mil tri-polymer
- + Fully textured
- + Powder free
- + Beaded cuff

EN 374-1/Type B EN 374-5 EN 1186

KOP VIRUS



88-1-7800 S-XL

3 mil Nitrile Disposable Gloves

- + 3 mil nitrile
- + Fine textured fingers
- + Powder free
- + Beaded cuff
- + Ambidextrous

EN 374-1/Type C FDA

JKO



99-1-1715F S-X2L (7-11)

13" Nitrile Glove w/Flock Lining

- + 15 mil nitrile w/diamond patterned palm
- + 13" overall length
- + Flock lining
- + Latex free

EN 388 EN 374-1/Type A

3101X AJKLMNOT





99-1-820 M-X3L (8-12) 12" PVC Glove w/Cotton Lining

- + Triple dipped PVC shell w/textured finish
- + 12" overall length
- + Cotton lining
- + Pinned cuff

EN 388
4121X
AJKLMPT



99-1-820BD M-X2L (8-11) 12" PVC Glove w/Cotton Lining

- + Triple dipped PVC shell w/textured finish
- + 12" overall length
- + Cotton lining
- + Beaded cuff

EN 388
4121X
AJKLMPT



99-1-901 S-XL (7-10) 12" Rubber Glove w/Flock Lining

- + 32 mil rubber shell w/diamond embossed palm
- + 12" overall length
- + Flock lining
- + Beaded cuff

EN 388
4131X
EN 374-5
AKLMNOP



99-1-912 ONE SIZE 12" PVC Glove w/Fleece Lining

- + Double dipped PVC shell w/textured finish
- + 12" overall length
- + Fleece lining
- + Pinned cuff

EN 388
3121X
EN 374-1/Type B
AJKL



99-1-914 ONE SIZE 14" PVC Glove w/Fleece Lining

- + Double dipped PVC shell w/textured finish
- + 14" overall length
- + Fleece lining
- + Pinned cuff

EN 388
3121X
EN 374-1/Type B
AJKL



99-1-504 L-X2L (9-11) 14" PVC Glove w/Cut-Resistant Lining

- + PVC shell w/textured finish
- + 14" overall length
- + Cut-resistant para-aramid lining
- + TPR backhand impact protection

ANSI/ISEA 105
A5
X 4
EN 388
3X43FP
EN 374-1
AKLOPT
ANSI / ISEA 138
2



99-1-778 XS-X3L (6-12) 12" PVC Glove w/Cut-Resistant Lining

- + PVC shell, full double dipped nitrile coating w/textured finish
- + 12" overall length
- + Cut-resistant lining

ANSI/SEA 105
A6
X X
EN 388
4111
EN 374-1/Type B
AJKL
ANSI / ISEA 138
2



99-9-821 L-X2L (9-11) 12" PVC Glove w/BOA Lining

- + Triple dipped PVC shell w/textured finish
- + 12" overall length
- + BOA acrylic thermal lining
- + Hemmed cuff

EN 388
4121X
EN 374-1/Type A
AJKLMPT





helping hands for planet earth

99-1-8110 x2S-X3L

NBR Coated 15 ga. Nylon/Spandex

- + 15 ga. nylon/spandex shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

EN 388
4131A
EN 407
X1XXXX



1.05 Kgs/pr.
of Greenhouse gas
emissions sequestered



1.49 Kgs/pr.
of Greenhouse gas
emissions sequestered



99-1-8130 x2S-X3L

NBR Coated 15 ga. HPPE

- + 15 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Reinforced thumb saddle
- + Elastic knit wrist w/hemmed cuff

ANSI
A3
CUT
EN 388
4X43C
EN 407
X1XXXX



0.76 Kgs/pr.
of Greenhouse gas
emissions sequestered

0.76 Kgs/pr.
of Greenhouse gas
emissions sequestered



99-1-8160 x2S-X3L

NBR Coated 15 ga. HPPE

- + 15 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Reinforced thumb saddle
- + Elastic knit wrist w/hemmed cuff

ANSI
A6
CUT
EN 388
4X44E
EN 407
X1XXXX



1.25 Kgs/pr.
of Greenhouse gas
emissions sequestered



Biodegrades* over 84% within 92 days

*ISO 14855-1:2012 tested



SKIN HEALTH ALLIANCE

Dermatologically Approved



COMPOSTABLE IN
INDUSTRIAL FACILITIES

99-1-6350 S-X2L

5 MIL TRI-POLYMER DISPOSABLE GLOVES

- + 5 mil tri-polymer
- + Fully textured
- + Beaded cuff
- + Made with natural rubber latex
- + 24 cm length (9.5")
- + 100 pc/box

EN 1186

EN 374-1/Type B

EN 374-5

EN 374-1/Type B

EN 374-5

Chemical
Water
Ambidextrous
Food
Solid Grip
Powder Free

IMPACT RESISTANT

Our impact-resistant gloves are designed to provide robust protection without compromising flexibility. Featuring reinforced padding and durable materials, these gloves shield your hands from impacts and shocks, making them ideal for construction, automotive, and heavy-duty tasks. The ergonomic design ensures a comfortable fit and excellent grip, allowing for precision handling in demanding environments. With our impact-resistant gloves, you can tackle your toughest jobs with confidence and safety.

SCAN HERE
TO SEE MORE



99-1-9791 XS-X2L (6-11)

Nitrile Coated HPPE

- + HPPE shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105 ANSI / ISEA 138



20-1-5000 XS-X3L

Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + Slip-on cuff

ANSI/ISEA 105 ANSI / ISEA 138



20-1-5005 XS-X3L

Grain Goatskin Glove w/5" Cuff

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + 5" split cowhide gauntlet cuff

ANSI/ISEA 105 ANSI / ISEA 138



99-1-9790 XS-X2L (6-11)

Nitrile Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105 EN 388 ANSI / ISEA 138



20-9-5000 XS-X3L

Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + TPR backhand impact protection

ANSI/ISEA 105 ANSI / ISEA 138



20-1-10698 XS-X3L

Grain Goatskin Glove w/3" Cuff

- + Water-repellent grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + 3" split cowhide cuff w/reflective strip
- + Shirred elastic wrist

ANSI/ISEA 105 ANSI NFPA 70E ANSI / ISEA 138





20-1-10750 XS-X3L

Grain Goatskin Driver

- + Oil-resistant grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + Slip-on cuff
- + Shirred elastic wrist



20-9-5005 XS-X3L

Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + TPR backhand impact protection
- + 5" split cowhide gauntlet cuff



99-9-3366 XS-X4L (6-13)

Lined Microfiber-Reinforced 13 ga. HPPE

- + 13 ga. HPPE shell w/microfiber palm
- + Fleece lining
- + TPR backhand impact protection
- + Reinforced thumb saddle



99-9-9791 XS-X2L (6-11)

Lined Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 7 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + Acrylic lining
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff



99-1-9796 XS-X4L (6-13)

Nitrile Coated 18 ga. HPPE

- + 18 ga. HPPE shell
- + Foam nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle



99-1-9794 XS-X4L (6-13)

Nitrile Coated 21 ga. HPPE


- + 21 ga. HPPE shell
- + Foam nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle



20-1-10697 XS-X3L

Grain Goatskin Driver

- + Water-repellent grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + Slip-on cuff
- + Shirred elastic wrist



99-9-9793 XS-X2L (6-11)

Lined Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 7 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + Acrylic Insulation
- + TPR backhand impact protection
- + Waterproof polyurethane inner membrane



WATER RESISTANT

Whether it's from natural elements or water sources on your job site, protecting workers from liquids is important for their comfort and safety. These high-quality gloves keep hands comfortable and dry.

SCAN HERE
TO SEE MORE



99-1-6000B S-X2L

6 mil Nitrile Disposable Gloves

- + 6 mil nitrile
- + Double sided traction grip
- + Powder free
- + Latex free



99-1-6200P S-X2L

8 mil Nitrile Disposable Gloves

- + 8 mil nitrile
- + Double sided traction grip
- + Powder free
- + Latex free



99-1-6350 S-XL

5 mil Tri-Polymer Disposable Gloves

- + 5 mil tri-polymer
- + Fully textured
- + Powder free
- + Beaded cuff



99-1-6100B S-X2L

6 mil Nitrile Disposable Gloves

- + 6 mil nitrile
- + Double sided traction grip
- + Powder free
- + Latex free



99-1-9625 XS-X2L (6-11)

Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 18 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + Nylon lining
- + Elastic knit wrist w/hemmed cuff



99-1-9793 XS-X2L (6-11)

Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 18 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + Nylon lining
- + TPR backhand impact protection





99-9-300 S-X2L (7-11)

Lined Full Nitrile Coated

15 ga. Nylon

- + 15 ga. nylon shell
- + Foam nitrile knuckle coating over full coating
- + Thermal nylon/acrylic lining
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105	EN 388	EN 511	EN 1186	
A3 X X	4X32D	X11		
Abrasion	Cold	Cut	Puncture	Water

Food Safe

99-9-301 S-X2L (7-11)

Lined Full Latex Coated

15 ga. Nylon

- + 15 ga. nylon shell
- + Foam latex palm coating over full coating
- + Thermal nylon/acrylic lining
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105	EN 388	EN 511	EN 407	EN 1186
A3 X X	2X31C	X11	X2XXXX	
Abrasion	Cold	Cut	Heat	Water

Food Safe



99-9-3360 XS-X2L (6-11)

Lined Nitrile Coated 18 ga. HPPE

- + 18 ga. HPPE shell
- + Foam nitrile palm coating w/textured finish
- + Acrylic insulation
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105	EN 511
A6 3 5	X2X
Abrasion	Cold

Cut Puncture Tear Touchscreen



99-9-821 L-X2L (9-11)

12" PVC Glove w/BOA Lining

- + Triple dipped PVC shell w/textured finish
- + 12" overall length
- + BOA acrylic thermal lining
- + Hemmed cuff

EN 388	EN 374-1/Type A
4121X	AJJKLMPT
Abrasion	Chemical

Cold Tear Water Grip



99-9-9625 XS-X2L (6-11)

Lined Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 7 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + Acrylic Insulation
- + Reinforced thumb saddle
- + Waterproof polyurethane inner membrane

ANSI/SEA 105	EN 511
A6 4 4	X2X
Abrasion	Cold

Cut Puncture Water Touchscreen



99-9-9793 XS-X2L (6-11)

Lined Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 7 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + Acrylic Insulation
- + TPR backhand impact protection
- + Waterproof polyurethane inner membrane

ANSI/SEA 105	ANSI / ISEA 138
A6 4 4	2
Abrasion	Cold

Cut Impact Water Touchscreen



99-1-820 M-X3L (8-12)

12" PVC Glove w/Cotton Lining

- + Triple dipped PVC shell w/textured finish
- + 12" overall length
- + Cotton lining
- + Pinned cuff

EN 388	EN 374-1/Type A
4121X	AJJKLMPT
Abrasion	Chemical

Tear Water Dexterity Grip



20-9-10698 XS-X3L

Lined Grain Goatskin Glove w/3" Cuff

- + Water-repellent grain goatskin palm & backhand
- + Cut-resistant lining
- + FR120 Thinsulate™ insulation
- + TPR backhand impact protection

ANSI/SEA 105	ANSI HEAT 4 CONDUCTIVE	ANSI / ISEA 138
A5 X 5	2	
Water	Cold	Cut

Heat Impact Hi-Viz

TOUCH SCREEN

Our touch screen gloves combine warmth and functionality, allowing you to stay connected without sacrificing comfort. Crafted with conductive fingertips, these gloves enable seamless interaction with all your devices, from smartphones to tablets, while keeping your hands cozy. Perfect for everyday use in chilly weather, they feature a stylish design and a snug fit for optimal dexterity.

SCAN HERE
TO SEE MORE



NEW



99-1-4003 S-X3L (7-12)

Uncoated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Elastic knit wrist w/hemmed cuff
- + Washable

ANSI/ISEA 105 EN 388 EN 1186

Abrasion Cut Puncture Tear Food Touchscreen

NEW



99-1-4013 S-X3L (7-12)

Nitrile Coated 13 ga. HPPE

- + 13 ga. nylon/spandex shell
- + Foam nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Washable

ANSI/ISEA 105 EN 388 EN 407 EN 1186

Abrasion Cut Heat Puncture Tear Food



20-1-10360 XS-X2L

Microfiber Performance Glove

- + Microfiber palm
- + Spandex backhand
- + Cut-resistant lining
- + Slip-on cuff
- + Shirred elastic wrist

ANSI/ISEA 105

Cut Puncture Breathable Dexterity Hi-Viz Touchscreen



20-1-10623 XS-X2L

Grain Deerskin Mechanics Glove

- + Microfiber palm
- + Spandex backhand
- + Cut-resistant palm lining
- + TPR backhand impact protection

ANSI ANSI ANSI ANSI / ISEA 138

Abrasion Cut Impact Puncture Breathable Hi-Viz



20-9-10364 XS-X2L

Lined Microfiber Performance Glove

- + Microfiber palm
- + Spandex backhand
- + Cut-resistant lining
- + C40 Thinsulate™ palm insulation,
- + C100 Thinsulate™ backhand insulation

ANSI/ISEA 105

Cold Cut Puncture Dexterity Hi-Viz Touchscreen



20-1-10400 XS-X3L

Synthetic Leather Performance Glove

- + Synthetic leather palm
- + Spandex backhand
- + Cut-resistant aramid lining
- + TPR backhand impact protection

ANSI/ISEA 105 ANSI / ISEA 138

Abrasion Cut Impact Puncture Grip Padded Palm



99-1-6000B S-X2L

6 mil Nitrile Disposable Gloves

- + 6 mil nitrile
- + Double sided traction grip
- + Powder free
- + Latex free

EN 374-1/Type B EN 374-5 EN 1186



VIRUS



99-1-6200B S-X3L

8 mil Nitrile Disposable Gloves

- + 8 mil nitrile
- + Double sided traction grip
- + Powder free
- + Latex free

EN 374-1/Type B EN 374-5 EN 1186



VIRUS



99-1-8110 X2S-X3L (5-12)

NBR Coated 15 ga. Nylon/Spandex

- + 15 ga. nylon/spandex shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Recyclable vending packaging option

EN 388



EN 407



4131A X1XXXX



99-1-8120 X2S-X3L (5-12)

NBR Coated 15 ga. HPPE

- + 15 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/SEA 105



A2



EN 388



X



EN 407



X



99-1-8130 X2S-X3L (5-12)

NBR Coated 15 ga. HPPE

- + 15 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/SEA 105



A3



4X43C X1XXXX



99-1-8160 X2S-X3L (5-12)

NBR Coated 15 ga. HPPE

- + 15 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/SEA 105



A6



EN 388



X



EN 407



X



99-1-9430 X3S-X2L (4-11)

PU Coated 21 ga. HPPE

- + 21 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

ANSI/SEA 105



A3



2 3



99-1-9500 XS-X2L (6-11)

Nitrile Coated 15 ga. HPPE

- + 15 ga. HPPE shell
- + Foam nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/SEA 105



A2



HEAT CONDUCTIVE



1



EN 388



X



EN 407



X





99-1-9530 XS-X3L (6-12)

NBR Coated 21 ga. Nylon

- + 21 ga. HPPE/polyester/steel shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105



99-1-9551 XS-X3L (6-12)

PU Coated 21 ga. HPPE

- + 21 ga. HPPE/polyester/steel shell
- + Polyurethane palm coating
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105



99-1-9570 XS-X3L (6-12)

NBR Coated 21 ga. HPPE

- + 21 ga. HPPE/polyester/steel shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105



99-1-9581 XS-X3L (6-12)

PU Coated 21 ga. HPPE

- + 21 ga. HPPE/polyester/steel shell
- + Polyurethane palm coating
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105



99-1-9631 XS-X3L (6-12)

Nitrile Coated 18 ga. HPPE

- + 18 ga. Nylon/HPPE/steel wire shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



99-1-9640 X3S-X3L (4-12)

PU Coated 18 ga. HPPE

- + 18 ga. HPPE shell
- + Polyurethane palm coating
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105




99-1-9778 S-X2L (7-11)

NBR Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105




99-1-9799 XS-X2L (6-11)

Nitrile Coated Nylon

- + Nylon shell
- + Foam nitrile palm coating w/porous finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



CLASSIC GLOVES

Our classic gloves not only offer timeless style but also prioritize protection and safety. Made from durable, high-quality materials, they provide a reliable barrier against the elements while ensuring excellent grip and dexterity. Ideal for outdoor activities, these gloves shield your hands from cold, wind, and abrasions, making them perfect for both everyday wear and demanding tasks.

SCAN HERE
TO SEE MORE



NEW



20-1-3300 XS-X2L

Grain Pigskin Driver

- + Grain pigskin palm
- + Reverse grain pigskin backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + Slip-on cuff

ANSI/ISEA 105
A6
4 4

ANSI / ISEA 138
2



20-1-1581 S-X2L

Grain Cowhide Driver w/Keystone Thumb

- + Grain cowhide palm & backhand
- + Slip-on cuff
- + Shirred elastic wrist
- + Gunn cut w/keystone thumb



Durable Leather



20-1-1610 XS-X2L

Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Slip-on cuff
- + Shirred elastic wrist
- + Gunn cut w/keystone thumb

ANSI/SEA 105
X
X 3



20-1-288 XS-XL

Grain Cowhide Driver

- + Water-repellent grain cowhide palm & backhand
- + Slip-on cuff
- + Shirred elastic wrist
- + Gunn cut w/keystone thumb



Water Durable Leather



20-1-340 S-XL

Grain Sheepskin Driver

- + Grain sheepskin palm & backhand
- + Slip-on cuff
- + Shirred elastic wrist
- + Gunn cut w/keystone thumb



20-1-5000 XS-X3L

Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + Slip-on cuff

ANSI/SEA 105
A6
4 4

ANSI / ISEA 138
2



Abrasion Cut Impact Puncture Durable Leather



20-1-5005 XS-X3L

Grain Goatskin Glove w/5" Cuff

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + 5" split cowhide gauntlet cuff

ANSI/ISEA 105 ANSI / ISEA 138
A6 2



20-9-327 S-XL

Lined Split Deerskin Driver

- + Split deerskin palm & backhand
- + C100 Thinsulate™ insulation
- + Slip-on cuff
- + Shirred elastic wrist



20-9-340 S-XL

Lined Grain Sheepskin Driver


- + Grain sheepskin palm & backhand
- + C100 Thinsulate™ insulation
- + Slip-on cuff
- + Shirred elastic wrist
- + Gunn cut w/keystone thumb



20-9-5000 XS-X3L

Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + TPR backhand impact protection



20-9-5005 XS-X3L

Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + TPR backhand impact protection
- + 5" split cowhide gauntlet cuff

ANSI/ISEA 105 ANSI / ISEA 138
A6 2



40-9-2525 S-X2L

Lined Grain Cowhide Fitter w/Safety Cuff

- + Grain cowhide palm & backhand
- + C100 Thinsulate™ insulation
- + Rubberized safety cuff
- + Inside elastic wrist



60-1-1290 S-X2L

Grain Cowhide Utility Glove w/6.25" Cuff

- + Water-repellent grain cowhide palm & backhand
- + Cut-resistant lining
- + 6.25" split cowhide hi-viz gauntlet cuff w/gore
- + Shirred elastic wrist

ANSI/ISEA 105 ANSI
A7 HEAT
X 2
CONDUCTIVE



60-9-1290 S-X2L

Lined Grain Cowhide Utility Glove w/6.25" Cuff

- + Water-repellent grain cowhide palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + 6.25" split cowhide hi-viz gauntlet cuff w/gore

ANSI/ISEA 105
A7
X 5



WELDING PRODUCTS

Working with metal requires protection against heat, cuts, and abrasions. Our Gander Brand® welder gloves are designed for TIG, MIG, stick, and general welding tasks while offering durability, dexterity, and comfort.

SCAN HERE
TO SEE MORE



64-1-1525 S-X2L

Grain Deerskin TIG Welder w/5.5" Cuff & Heat Patch

- + Reverse grain deerskin palm & backhand
- + 5.5" split cowhide gauntlet cuff w/gore
- + Clute cut w/straight thumb & thumb strap
- + Left hand heat patch



60-1-1818KV XS-X2L

Grain Cowhide Welder w/5" Cuff

- + Grain cowhide palm, thumb & index finger
- + Split cowhide backhand
- + Cut-resistant lining
- + 5" split cowhide gauntlet cuff



60-1-1940 S-X2L

Grain Goatskin TIG Welder w/5" Cuff & Heat Patch

- + Grain goatskin palm & backhand
- + FR cotton backhand lining
- + 5" split cowhide gauntlet cuff
- + Shirred elastic wrist



60-1-1949 S-X2L

Grain Goatskin Welder w/4" Cuff

- + Grain goatskin palm & backhand
- + 4" split cowhide gauntlet cuff
- + Straight thumb
- + Foam padded palm



64-1-7803B ONE SIZE

Split Cowhide Welder w/Gauntlet Cuff

- + Split cowhide palm & backhand
- + Fleece lining
- + Gunn cut w/wing thumb
- + Welted thumb & fingertips



64-1-1141 XS-X2L

Split Deerskin TIG Welder w/5" Cuff

- + Split deerskin palm & backhand
- + 5" split cowhide gauntlet cuff
- + Clute cut w/straight thumb & thumb strap





6 MIL NITRILE DISPOSABLE GLOVES

S-X3L

- Tested for fentanyl protection
- Fully textured
- Touchscreen friendly
- Powder free
- Ambidextrous
- 30 cm length (12")

NEW



99-1-6800
50-Box Nitrile Disposable Gloves



99-1-6800P
10-Pack Nitrile Disposable Gloves



Bob Dale Gloves Canada
4504 - 82 Ave, Edmonton, AB T6B 2S4
Ph: (780) 469-2100 | 1-800-661-7303
Bob Dale Gloves USA
2135 W. Obispo Ave, Gilbert, AZ 85233
Toll Free: 1-855-215-7113

Information contained in this document is subject to change without notice. As Bob Dale Gloves and Imports Ltd. cannot control or anticipate the conditions under which this product may be used, each user should review the information in specific context of the planned use. To the maximum extent permitted by law, Bob Dale Gloves and Imports Ltd., and/or its affiliates, employees or representatives will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given other than those implied mandatory by law.

BOB DALE GLOVES.COM

Revision Date: December 19, 2024