

# BDG<sup>®</sup>

BOB DALE GLOVES



SCAN HERE  
TO SEE MORE

## THE RIGHT SOLUTION FOR THE TASK AT HAND



BOBDALEGLOVES.COM

ANSI/ISEA 105-2024

# NEW LOOK. SAME HIGH LEVEL OF PROTECTION.

SAFETY ICONS WITH EASIER-TO-IDENTIFY LEVELS OF PROTECTION


Look for a new safety icon combining ANSI/ISEA 105 Abrasion, Cut and Puncture resistance standards. It's a simple change designed to make it easier to identify the protection levels offered by your work gloves.

While no changes are being made in the current levels of protection, or the testing methods used, for the ANSI/ISEA 105 abrasion, cut and puncture resistance standards—the new pentagon-shaped icon will make it easier for end users to choose, and for distributors to supply, the right level of hand protection for any task.



## NEW SAFETY ICON

**ANSI/ISEA 105**



## OLD SAFETY ICONS



Eliminating the multiple icons showing the levels of abrasion, cut and puncture resistance, the new icon combines all three levels of protection. It will also clearly display whether the gloves being used offer one, two, or all three classifications of protection offered, as can be seen in the following examples.

**ANSI/ISEA 105**



All  
Classifications

**ANSI/ISEA 105**



Cut Resistance  
Only

**ANSI/ISEA 105**



Abrasion Resistance  
Only

**ANSI/ISEA 105**



Abrasion and Puncture  
Resistance

# CUT RESISTANT

Our cut-resistant gloves are engineered for safety and dexterity in high-risk environments. Crafted from advanced materials, they provide superior protection against cuts and abrasions while ensuring a comfortable fit. The gloves feature a secure grip for precise handling, making them perfect for industries like construction, manufacturing, and food processing. With our cut-resistant gloves, you can work confidently, knowing your hands are safeguarded without sacrificing agility.

SCAN HERE  
TO SEE MORE



NEW



**99-1-4005 S-X4L (7-13)**

**Nitrile Coated 10 ga. Aramid**

- + 10 ga. aramid shell
- + Foam nitrile palm coating
- + Elastic knit wrist w/hemmed cuff
- + Nitrile dotted grip

ANSI/SEA 105  
A5  
6

EN 407  
X1XXXX

FDA



NEW



**99-1-9602 X2S-X3L (5-12)**

**PU Coated 15 ga. HPPE**

- + 15 ga. HPPE shell
- + Nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/SEA 105  
A5  
6 5



NEW



**99-1-9640 X3S-X3L (4-12)**

**PU Coated 18 ga. HPPE**

- + 18 ga. HPPE shell
- + Polyurethane palm coating
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/SEA 105  
A9  
3 3



NEW



**99-1-9641 X2S-X3L (5-12)**

**NBR Coated 18 ga. HPPE**

- + 18 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/SEA 105  
A9  
4 4



NEW



**99-1-9690 S-X2L (7-11)**

**Silicone Coated 18 ga. HPPE**

- + 18 ga. HPPE shell
- + Silicone palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

ANSI/SEA 105  
A9  
6 3

EN 407  
X1XXXX



NEW



**99-1-9773 X2S-X3L (5-12)**

**NBR Coated 18 ga. HPPE**

- + 18 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/SEA 105  
A4  
X X

EN 388  
3101X





### 99-1-9789 XS-X4L (6-13)

#### Nitrile Coated 18 ga. HPPE

- + 18 ga. HPPE shell
- + Foam nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105



Abrasion

Cut

Puncture

Dexterity

Padded Palm

Touchscreen



### 99-1-9794 XS-X4L (6-13)

#### Nitrile Coated 21 ga. HPPE

- + 21 ga. HPPE shell
- + Foam nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105



Abrasion

Cut

Impact

Puncture

Padded Palm

Touchscreen



### 99-1-9796 XS-X4L (6-13)

#### Nitrile Coated 18 ga. HPPE

- + 18 ga. HPPE shell
- + Foam nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105



ANSI / ISEA 138



Abrasion

Cut

Impact

Puncture

Padded Palm

Touchscreen



### 20-1-10698 XS-X3L

#### Grain Goatskin Glove w/3" Cuff

- + Water-repellent grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + 3" split cowhide cuff w/reflective strip
- + Shirred elastic wrist

ANSI/ISEA 105



ANSI



Arc Flash

Cut

Heat

Impact

Puncture

Water



### 20-1-1600 XS-X2L

#### Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant Kevlar® lining
- + Slip-on cuff
- + Shirred elastic wrist

ANSI/ISEA 105



ANSI



EN 388



NFPA 70E



CAT 4

Arc Flash

Cut

Heat

Puncture

Durable

Leather



### 20-1-5000 XS-X3L

#### Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + Slip-on cuff

ANSI/ISEA 105



ANSI



Arc Flash

Cut

Impact

Puncture

Durable

Leather



### 20-9-5005 XS-X3L

#### Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + TPR backhand impact protection
- + 5" split cowhide gauntlet cuff

ANSI/ISEA 105



ANSI



EN 388

Cold

Cut

Impact

Puncture



### 99-1-3110 10"-20"

#### Hi-Viz Cut Resistant Sleeve

- + Cut-resistant polyethylene/fiberglass shell
- + Various lengths available
- + No thumbhole
- + Sold individually

ANSI/ISEA 105



ANSI



Cut

Breathable

Dexterity

Hi-Viz

**99-1-315 10"-20"****Hi-Viz Cut Resistant Sleeve w/Thumb Hole**

- + Cut-resistant polyethylene/fiberglass shell
- + Various lengths available
- + Thumbhole
- + Sold individually

ANSI/ISEA 105



X X

ANSI



2

CONDUCTIVE



Cut



Breathable



Dexterity



Hi-Viz

**99-1-325 10"-20"****Cut-Resistant Sleeve w/Thumb Hole**

- + Cut-resistant polyethylene/fiberglass shell
- + Various lengths available
- + Thumbhole
- + Sold individually

ANSI/ISEA 105



X X

ANSI



2

CONDUCTIVE



Cut



Heat



Breathable



Dexterity

**99-1-9630 XS-X2L (6-11)****Nitrile Coated 13 ga. HPPE**

- + 13 ga. nylon/HPPE/steel wire shell
- + Foam nitrile palm coating w/smooth finish
- + Steel wire/cotton inner palm lining
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



5

ANSI



PALM ONLY



Cut



Needle



Puncture



Breathable



Dexterity



Grip

**99-1-9430 X3S-X2L (4-11)****PU Coated 21 ga. HPPE**

- + 21 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



3

ANSI



3



Abrasion



Cut



Puncture



Breathable



Dexterity



Grip

**99-1-9623 XS-X2L (6-11)****Double Nitrile Coated 13 ga. HPPE**

- + 13 ga. HPPE shell
- + Double dipped nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



4

ANSI



4

CONDUCTIVE



Abrasion



Cut



Heat



Puncture



Dexterity



Food



Grip

**99-1-9626 X2S-X4L (5-13)****Nitrile Coated 13 ga. HPPE**

- + 13 ga. HPPE shell
- + Nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



3

ANSI



4

CONDUCTIVE



Abrasion



Cut



Heat



Puncture



Food



Grip

**99-1-9629 XS-X4L (6-13)****Nitrile Coated 13 ga. HPPE**

- + 13 ga. HPPE shell
- + Nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



3

ANSI



5

FDA



Food



Grip

**99-1-9632 XS-X2L (6-11)****Silicone Coated 13 ga. HPPE**

- + 18 ga. Nylon/HPPE/steel wire shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



6

ANSI



1

CONDUCTIVE



X1XXXX



Grip






### 99-1-9660 S-X2L (7-11)

#### Full Nitrile Coated 13 ga. HPPE


- + 13 ga. HPPE shell
- + Nitrile palm coating over full coating
- + Elastic knit wrist w/hemmed cuff



### 99-1-9740 S-X2L (7-11)

#### PU Coated 13 ga. Dyneema®


- + 13 ga. Dyneema® shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff



### 99-1-9770 X2S-X2L (5-11)

#### PU Coated 18 ga. HPPE


- + 18 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff



### 99-1-9772 X2S-X3L (5-12)

#### NBR Coated 18 ga. HPPE


- + 18 ga. HPPE/fiberglass shell
- + Foam NBR palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff



### 99-1-9780 XS-X3L (6-12)

#### PU Coated 13 ga. HPPE


- + 13 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff



### 99-1-9781 XS-X2L (6-11)

#### PU Coated 13 ga. HPPE


- + 13 ga. HPPE shell
- + Foam polyurethane palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff



### 99-1-9790 XS-X2L (6-11)

#### Nitrile Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff



### 99-1-9791 XS-X2L (6-11)

#### Nitrile Coated HPPE

- + HPPE shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff



# LIGHTWEIGHT 21 GAUGE CUT RESISTANT GLOVES

A FULL SPECTRUM OF **HAND PROTECTION**

XS-X3L (6-12)



SCAN HERE  
TO SEE MORE



99-1-9591

- Abrasion
- Cut
- Puncture
- Breathable
- Dexterity
- Grip
- Coverage
- Touchscreen

CUT  
RESISTANT      A1-A9

COLOUR CODED



2 PALM COATING  
OPTIONS AVAILABLE

- Foam NBR
- PU

REINFORCED THUMB  
SADDLE AREA



SOLID GRIP  
& DEXTERITY



TOUCH SCREEN  
COMPATIBLE



CUT/PUNCTURE  
RESISTANT

ANSI/ISEA 105



 ANSI/SEA 105 <b>A1</b> 99-1-9510 NBR Coated 99-1-9511 PU Coated	 ANSI/SEA 105 <b>A2</b> 99-1-9520 NBR Coated 99-1-9521 PU Coated	 ANSI/SEA 105 <b>A3</b> 99-1-9530 NBR Coated 99-1-9531 PU Coated	 ANSI/SEA 105 <b>A4</b> 99-1-9540 NBR Coated 99-1-9541 PU Coated	 ANSI/SEA 105 <b>A5</b> 99-1-9550 NBR Coated 99-1-9551 PU Coated
 ANSI/SEA 105 <b>A6</b> 99-1-9560 NBR Coated 99-1-9561 PU Coated	 ANSI/SEA 105 <b>A7</b> 99-1-9570 NBR Coated 99-1-9571 PU Coated	 ANSI/SEA 105 <b>A8</b> 99-1-9580 NBR Coated 99-1-9581 PU Coated	 ANSI/SEA 105 <b>A9</b> 99-1-9590 NBR Coated 99-1-9591 PU Coated	

# COLD RESISTANT

Our cold-resistant gloves are specifically designed to keep your hands warm and comfortable in frigid conditions. Made with high-quality insulation and water-resistant materials, these gloves provide excellent thermal protection while allowing for dexterity and grip. Perfect for outdoor activities, winter sports, and cold storage environments, they ensure you can work and play effectively, no matter the temperature.

SCAN HERE  
TO SEE MORE



## 20-9-10360 XS-X2L

### Lined Microfiber Performance Glove

- + Microfiber palm
- + Spandex backhand
- + Cut-resistant lining
- + C100 Thinsulate™ backhand insulation

ANSI/ISEA 105



## 20-9-10364 XS-X2L

### Lined Microfiber Performance Glove

- + Microfiber palm
- + Spandex backhand
- + Cut-resistant lining
- + C40 Thinsulate™ palm insulation, C100 Thinsulate™ backhand insulation

ANSI/ISEA 105



## 20-9-10698 XS-X3L

### Lined Grain Goatskin Glove w/3" Cuff

- + Water-repellent grain goatskin palm & backhand
- + Cut-resistant lining
- + FR120 Thinsulate™ insulation
- + TPR backhand impact protection

ANSI/SEA 105



ANSI



ANSI / ISEA 138



Water



Cold



Cut



Heat



Impact



## 20-9-10750 XS-X3L

### Lined Grain Goatskin Driver

- + Oil-resistant grain goatskin palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + TPR backhand impact protection
- + Slip-on cuff

ANSI/SEA 105



ANSI



ANSI / ISEA 138



Cold



Cut



Heat



Impact



Oil Resistant



Puncture



## 20-9-1581TFL S-X2L

### Lined Grain Cowhide Driver

- + Grain cowhide palm & backhand
- + C100 Thinsulate™ insulation
- + Slip-on cuff
- + Gunn cut w/straight thumb

Cold

Durable

Leather



## 20-9-1600 XS-X3L

### Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant Kevlar® lining
- + C100 Thinsulate™ insulation
- + Slip-on cuff

ANSI/SEA 105



EN 388



Cold



Cut



Puncture



Durable



Leather



### 20-9-1610 XS-X2L

#### Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + C100 Thinsulate™ insulation
- + Slip-on cuff
- + Shirred elastic wrist

ANSI/SEA 105  
X 3



### 20-9-1871 S-X3L

#### Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + Slip-on cuff

ANSI/SEA 105  
A5 3



### 20-9-5000 XS-X3L

#### Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + TPR backhand impact protection

ANSI/SEA 105    ANSI / ISEA 138  
A6 4 4                            2



### 30-9-373-A L-X2L

#### Lined Split Cowhide Fitter w/Safety Cuff

- + Split cowhide palm, index finger & fingertips
- + Cotton backhand w/split leather knuckle strap
- + Heavy acrylic pile lining
- + Rubberized safety cuff



### 30-9-473TFL L-X2L

#### Lined Split Cowhide Fitter w/Safety Cuff

- + Split cowhide palm, index finger & fingertips
- + Cotton backhand w/split leather knuckle strap
- + C100 Thinsulate™ insulation
- + Rubberized safety cuff



NEW



### 40-9-1800 L-X2L

#### Lined Grain Goatskin Fitter w/Safety Cuff

- + Grain goatskin palm
- + Hi-viz polyester backhand w/grain leather knuckle strap & reflective strip
- + C100 Thinsulate™ insulation
- + Safety cuff



### 50-9-5010 XS-X3L

#### Lined Grain Goatskin Mitt w/5" Cuff

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + TPR backhand impact protection

ANSI/SEA 105    ANSI / ISEA 138  
A6 4 4                            2



### 50-9-5011 XS-X3L

#### Lined Grain Goatskin Mitt w/5" Cuff

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + C150 Thinsulate™ insulation
- + TPR backhand impact protection

ANSI/SEA 105    ANSI / ISEA 138  
A6 4 4                            2





### 80-9-1290 S-X2L

#### Lined Grain Cowhide Utility Glove w/6.25" Cuff

- + Water-repellent grain cowhide palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + 6.25" split cowhide hi-viz gauntlet cuff w/gore

ANSI/SEA 105



### 80-9-041101 S-X2L

#### Grain Deerskin Ski Glove w/Gauntlet Cuff

- + Grain deerskin palm
- + Nylon backhand
- + J150 Thinsulate™ insulation
- + Water-repellent membrane



NEW



### 80-9-2001 M-XL

#### Wool/Acrylic Flip Mitt w/PVC Dots

- + 7 ga. acrylic/merino wool knit
- + Terry cloth lining
- + Elastic knit wrist
- + PVC dotted grip
- + Mitt converts to fingerless glove



NEW



### 80-9-2002 M-XL

#### Wool/Acrylic Glove w/PVC Dots

- + 7 ga. acrylic/merino wool knit
- + Terry cloth lining
- + Elastic knit wrist
- + PVC dotted grip



NEW



### 80-9-2010 S-XL

#### Wool Glove w/PVC Grip

- + Rag wool knit
- + Elastic knit wrist
- + PVC grip pattern



NEW



### 80-9-2015 S-XL

#### Wool Glove w/PVC Grip

- + Merino wool knit
- + Elastic knit wrist
- + PVC grip pattern



NEW



### 80-9-2025 S-XL

#### Wool/Acrylic Glove w/PVC Grip

- + Acrylic/merino wool knit
- + Elastic knit wrist
- + PVC grip pattern



NEW



### 80-9-2030 S-XL

#### Acrylic Glove w/PVC Grip

- + Acrylic knit
- + Elastic knit wrist
- + PVC grip pattern



**NEW****80-9-2035 S-XL****Poly-Cotton Glove w/PVC Dots**

- + Poly-cotton knit
- + Elastic knit wrist
- + PVC grip pattern

**90-0-613 ONE SIZE****Knit Toque w/FR Fibre**

- + Meta-aramid fiber
- + Interlock knit
- + 2 layers (290 GSM)

**90-0-614 ONE SIZE****Knit Toque w/FR Fibre**


- + Meta-aramid fiber
- + Rib waffle knit
- + 2 layers (310 GSM)

**99-9-265 S-X3L (7-12)****Lined ¾ Nitrile Coated  
15 ga. Acrylic/Nylon**


- + 15 ga. nylon/acrylic shell
- + Foam nitrile knuckle coating w/smooth finish
- + 10 ga. brushed lining
- + Elastic knit wrist w/hemmed cuff

**99-9-300 S-X2L (7-11)****Lined Full Nitrile Coated  
15 ga. Nylon**


- + 15 ga. nylon shell
- + Foam nitrile knuckle coating over full coating
- + Thermal nylon/acrylic lining
- + Elastic knit wrist w/hemmed cuff

**99-9-301 S-X2L (7-11)****Lined Full Latex Coated  
15 ga. Nylon**


- + 15 ga. nylon shell
- + Foam latex palm coating over full coating
- + Thermal nylon/acrylic lining
- + Elastic knit wrist w/hemmed cuff

**NEW****99-9-3018 S-X2L (7-11)****Lined Full Nitrile Coated HPPE**

- + 18 ga. HPPE outer shell, 10 ga. HPPE inner shell
- + Foam nitrile knuckle coating over full coating
- + Cut-resistant lining
- + Elastic knit wrist w/hemmed cuff

**NEW****99-9-3360 XS-X2L (6-11)****Lined Nitrile Coated 18 ga. HPPE**

- + 18 ga. HPPE shell
- + Foam nitrile palm coating w/textured finish
- + Acrylic insulation
- + Elastic knit wrist w/hemmed cuff





## 99-9-3361 XS-X2L (6-11)

### Lined ¾ Nitrile Coated 15 ga. HPPE

- + 15 ga. HPPE shell
- + Foam nitrile knuckle coating w/textured finish
- + Fleece lining
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



EN 511



X2X



## 99-9-3366 XS-X4L (6-13)

### Lined Microfiber-Reinforced 13 ga. HPPE

- + 13 ga. HPPE shell w/microfiber palm
- + Fleece lining
- + TPR backhand impact protection
- + Reinforced thumb saddle

ANSI/ISEA 105



ANSI / ISEA 138



## 99-9-3367 XS-X4L (6-13)

### Lined Microfiber-Reinforced 13 ga. HPPE

- + 13 ga. HPPE shell w/microfiber palm
- + Fleece lining
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105



## 99-9-778 S-X3L (7-12)

### 12" PVC Glove w/Cut-Resistant Lining & Winter Lining

- + PVC shell, full double dipped nitrile coating w/textured finish
- + TPR backhand impact protection
- + Acrylic Insulation

ANSI/ISEA 105



EN 388



EN 374-1/type B



ANSI / ISEA 138



## 99-9-821 L-X2L (9-11)

### 12" PVC Glove w/BOA Lining

- + Triple dipped PVC shell w/textured finish
- + 12" overall length
- + BOA acrylic thermal lining
- + Hemmed cuff

EN 388



EN 374-1/Type A



4121X AJKLMPPT



## 99-9-9625 XS-X2L (6-11)


### Lined Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 7 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + Acrylic Insulation
- + Reinforced thumb saddle
- + Waterproof polyurethane inner membrane

ANSI/ISEA 105



EN 511



## 99-9-9791 XS-X2L (6-11)

### Lined Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 7 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + Acrylic lining
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



ANSI / ISEA 138



## 99-9-9793 XS-X2L (6-11)

### Lined Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 7 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + Acrylic Insulation
- + TPR backhand impact protection
- + Waterproof polyurethane inner membrane

ANSI/ISEA 105



ANSI / ISEA 138



# PUNCTURE RESISTANT

Ideal for industries such as construction, logistics, and manufacturing, our gloves are rigorously tested for durability and performance, giving users the confidence to work safely and efficiently. Experience the perfect blend of safety and comfort with our puncture-resistant gloves, tailored to meet the needs of professionals everywhere.

SCAN HERE  
TO SEE MORE



**99-1-5403 XS-X3L (6-12)**

**PU Coated 13 ga. HPPE**

- + 13 ga. HPPE shell
- + Polyurethane palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



**99-1-5408 XS-X3L (6-12)**

**PU Coated 18 ga. HPPE**

- + 18 ga. HPPE shell
- + Polyurethane palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



**99-1-5418 XS-X3L (6-12)**

**PU Coated 18 ga. HPPE**

- + 18 ga. HPPE shell
- + Polyurethane palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



**99-1-9430 X3S-X2L (4-11)**

**PU Coated 21 ga. HPPE**

- + 21 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



**99-1-9623 XS-X2L (6-11)**

**Double Nitrile Coated 13 ga. HPPE**

- + 13 ga. HPPE shell
- + Double dipped nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



ANSI



**99-1-9626 X2S-X4L (5-13)**

**Nitrile Coated 13 ga. HPPE**

- + 13 ga. HPPE shell
- + Nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



HEAT



FDA





### 99-1-9770 X2S-X2L (5-11)

#### PU Coated 18 ga. HPPE

- + 18 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105    EN 388  
A4    1  
X    4X43D



### 99-1-9772 X2S-X3L (5-12)

#### NBR Coated 18 ga. HPPE

- + 18 ga. HPPE/fiberglass shell
- + Foam NBR palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105    ANSI    EN 388  
A4    HEAT 1  
X    CONDUCTIVE 4X44D




### 99-1-9780 XS-X3L (6-12)

#### PU Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105    EN 388  
A2    6  
X    4242B



### 99-1-9791 XS-X2L (6-11)

#### Nitrile Coated HPPE

- + HPPE shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105    ANSI / ISEA 138  
A5    3  
X    2



### 20-1-5000 XS-X3L

#### Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + Slip-on cuff

ANSI/ISEA 105    ANSI / ISEA 138  
A6    4  
4    2



### 20-1-1600 XS-X2L

#### Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant Kevlar® lining
- + Slip-on cuff
- + Shirred elastic wrist

ANSI/ISEA 105    ANSI    EN 388    NFPA 70E  
A4    HEAT 2  
X    CONDUCTIVE    X5XX    ATPV 25 Cal/cm<sup>2</sup>  
3    2    X5XX    CAT 4



### 20-1-1610 XS-X2L

#### Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Slip-on cuff
- + Shirred elastic wrist
- + Gunn cut w/keystone thumb

ANSI/ISEA 105  
X    3



### 20-9-1610 XS-X2L

#### Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + C100 Thinsulate™ insulation
- + Slip-on cuff
- + Shirred elastic wrist

ANSI/ISEA 105  
X    3



# HEAT RESISTANT

Made with advanced materials such as aramid fibers and silicone, our gloves offer excellent thermal insulation while maintaining flexibility and grip. Ideal for applications in welding, metal handling, and high-heat environments, our gloves are rigorously tested to ensure durability and safety. Our heat-resistant gloves provide the perfect balance of comfort and protection, allowing professionals to work confidently in even the hottest conditions.


SCAN HERE  
TO SEE MORE



## 20-1-1600 XS-X2L

### Grain Goatskin Driver


- + Grain goatskin palm & backhand
- + Cut-resistant Kevlar® lining
- + Slip-on cuff
- + Shirred elastic wrist



## 20-1-10750 XS-X3L

### Grain Goatskin Driver

- + Oil-resistant grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + Slip-on cuff
- + Shirred elastic wrist



## 20-1-10698 XS-X3L

### Grain Goatskin Glove w/3" Cuff

- + Water-repellent grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + 3" split cowhide cuff w/reflective strip
- + Shirred elastic wrist



## 64-1-1525 S-X2L

### Grain Deerskin TIG Welder w/5.5" Cuff & Heat Patch


- + Reverse grain deerskin palm & backhand
- + 5.5" split cowhide gauntlet cuff w/gore
- + Clute cut w/straight thumb & thumb strap
- + Left hand heat patch



## 99-1-9632 XS-X2L (6-11)

### Silicone Coated 13 ga. HPPE


- + 18 ga. Nylon/HPPE/steel wire shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff



## 99-1-9660 S-X2L (7-11)

### Full Nitrile Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Nitrile palm coating over full coating
- + Elastic knit wrist w/hemmed cuff





### 99-1-9605 x2S-X3L (5-12)

#### Nitrile Coated 15 ga. Nylon/Spandex


- + 15 ga. nylong/Spandex shell
- + Foam nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff



### 99-1-9623 XS-X2L (6-11)

#### Double Nitrile Coated 13 ga. HPPE


- + 13 ga. HPPE shell
- + Double dipped nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff



### 99-1-9626 x2S-X4L (5-13)

#### Nitrile Coated 13 ga. HPPE


- + 13 ga. HPPE shell
- + Nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff



### 99-1-9772 X2S-X3L (5-12)

#### NBR Coated 18 ga. HPPE


- + 18 ga. HPPE/fiberglass shell
- + Foam NBR palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff



### 99-1-9860 S-XL (7-11)

#### Nitrile Coated 15 ga. Nylon

- + 15 ga. nylong shell
- + Foam nitrile palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff



### 99-1-320 10"-20"

#### Cut-Resistant Sleeve


- + Cut-resistant polyethylene/fiberglass shell
- + Various lengths available
- + No thumbhole
- + Sold individually



### 99-1-330 10"-20"

#### Cut-Resistant Sleeve


- + Cut-resistant polyethylene/steel shell
- + Various lengths available
- + No thumbhole
- + Sold individually



### 99-1-335 10"-20"

#### Cut-Resistant Sleeve w/ Thumb Hole

- + Cut-resistant polyethylene/steel shell
- + Various lengths available
- + Thumbhole
- + Sold individually



# FOOD PROCESSING

Crafted from durable, food-safe materials such as nitrile and polyethylene, our gloves provide excellent barrier protection against contaminants while ensuring comfort and dexterity. Available in various sizes and thicknesses, they are ideal for tasks ranging from food preparation to packaging. Our gloves are resistant to tears and punctures, making them reliable for both handling raw and cooked foods.

SCAN HERE  
TO SEE MORE



## 99-1-6000B S-X2L

### 6 mil Nitrile Disposable Gloves

- + 6 mil nitrile
- + Double sided traction grip
- + Powder free
- + Latex free

EN 374-1/Type B   EN 374-5   EN 1186

JKPT   VIRUS



## 99-1-6100B S-X2L

### 6 mil Nitrile Disposable Gloves

- + 6 mil nitrile
- + Double sided traction grip
- + Powder free
- + Latex free

EN 374-1/Type B   EN 374-5   EN 1186

JKPT   VIRUS



## 99-1-6200B S-X3L

### 8 mil Nitrile Disposable Gloves

- + 8 mil nitrile
- + Double sided traction grip
- + Powder free
- + Latex free

EN 374-1/Type B   EN 374-5   EN 1186

JKPT   VIRUS



## 99-1-6000P S-X2L

### 6 mil Nitrile Disposable Gloves

- + 6 mil nitrile
- + Double sided traction grip
- + Powder free
- + Latex free

EN 374-1/Type B   EN 374-5   EN 1186

JKPT   VIRUS



## 99-1-6350 S-XL

### 5 mil Tri-Polymer Disposable Gloves

- + 5 mil tri-polymer
- + Fully textured
- + Powder free
- + Beaded cuff

EN 374-1/Type B   EN 374-5   EN 1186

KOP   VIRUS



## 99-9-300 S-X2L (7-11)

### Lined Full Nitrile Coated 15 ga. Nylon

- + 15 ga. nylon shell
- + Foam nitrile knuckle coating over full coating
- + Thermal nylon/acrylic lining
- + Elastic knit wrist w/hemmed cuff

ANSI/SEA 105   A3


X X

EN 388   4X32D

X11

EN 511   X11

Compliant





### 99-9-301 S-X2L (7-11)

#### Lined Full Latex Coated 15 ga. Nylon

- + 15 ga. nylon shell
- + Foam latex palm coating over full coating
- + Thermal nylon/acrylic lining
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105	EN 388	EN 511	EN 407	EN 1186
A3 X X	2X31C 	X11 	X2XXXX 	
Abrasion	Cold	Cut	Heat	Water

Food Safe



### 99-1-4003 S-X3L (7-12)

#### Uncoated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Elastic knit wrist w/hemmed cuff
- + Washable

ANSI/ISEA 105	EN 388	EN 1186
A6 X X	3X43F	
Abrasion	Cut	Puncture

Tear Food Touchscreen



### 99-1-4005 S-X4L (7-13)

#### Nitrile Coated 10 ga. Aramid

- + 10 ga. aramid shell
- + Foam nitrile palm coating
- + Elastic knit wrist w/hemmed cuff
- + Nitrile dotted grip

ANSI/ISEA 105	EN 407	FDA
A5 6 X	X1XXXX 	
Abrasion	Cut	Heat

Coverage Food Grip



### 99-1-4007 M-X2L (8-11)

#### Silicone Coated 7 ga. HPPE

- + 7 ga. HPPE shell
- + Elastic knit wrist w/hemmed cuff
- + Silicone grip pattern

ANSI/ISEA 105	EN 388	EN 407	EN 1186
A9 X X	3X4XF 	X2XXXX 	
Abrasion	Cut	Heat	Tear

Food Grip



### 99-1-4010 X2S-X3L (5-12)

#### Uncoated 10 ga. HPPE

- + 10 ga. HPPE shell
- + Elastic knit wrist w/hemmed cuff
- + Washable

ANSI/ISEA 105	EN 388	EN 1186
A9 X X	3X4XF 	
Abrasion	Cut	Tear

Food Coverage



### 99-1-4013 S-X3L (7-12)

#### Nitrile Coated 13 ga. HPPE

- + 13 ga. nylon/spandex shell
- + Foam nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Washable

ANSI/ISEA 105	EN 388	EN 407	EN 1186
A6 X X	4X43F 	X1XXXX 	
Abrasion	Cut	Heat	Puncture

Tear Food



### 99-1-4015 X2S-X3L (5-12)

#### Nitrile Coated 15 ga. Nylon/Spandex

- + 15 ga. nylon/spandex shell
- + Foam nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Washable

EN 388	EN 407	EN 1186
4131X 	X1XXXX 	
Abrasion	Tear	Food  Grip



### 99-9-3018 S-X2L (7-11)

#### Lined Full Nitrile Coated HPPE

- + 18 ga. HPPE outer shell, 10 ga. HPPE inner shell
- + Foam nitrile knuckle coating over full coating
- + Cut-resistant lining
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105	EN 388	EN 407	EN 511	FDA
A6 X X	4X42F 	X2XXXX 	X21 	
Abrasion	Cold	Cut	Puncture	Tear

Food

# CHEMICAL RESISTANT

Our chemical-resistant gloves are designed for maximum protection and comfort in hazardous environments. Made from high-quality materials, they offer exceptional resistance to a wide range of chemicals, ensuring your hands stay safe during even the most demanding tasks. With a secure grip and ergonomic fit, these gloves provide the dexterity you need while keeping you protected. Ideal for industrial, laboratory, and cleaning applications, trust our gloves to deliver the durability and performance you require.

SCAN HERE  
TO SEE MORE



## 99-1-6000B S-X2L

### 6 mil Nitrile Disposable Gloves

- + 6 mil nitrile
- + Double sided traction grip
- + Powder free
- + Latex free

EN 374-1/Type B   EN 374-5   EN 1186  
 JKPT   VIRUS   EU



## 99-1-6800P S-X3L

### 6 mil Nitrile Disposable Gloves

- + 6 mil nitrile
- + Fully textured
- + Powder free/Ambidextrous
- + Touchscreen friendly
- + Tested for fentanyl protection

EN 374-1/Type B   EN 374-5   FDA  
 JKPT   VIRUS   FDA



## 99-1-6300 S-XL

### 6 mil Tri-Polymer Disposable Gloves

- + 6 mil tri-polymer
- + Fully textured
- + Powder free
- + Beaded cuff

EN 374-1/Type B   EN 374-5  
 KOT   VIRUS



## 99-1-6350 S-XL

### 5 mil Tri-Polymer Disposable Gloves

- + 5 mil tri-polymer
- + Fully textured
- + Powder free
- + Beaded cuff

EN 374-1/Type B   EN 374-5   EN 1186  
 KOP   VIRUS   EU



## 88-1-7800 S-XL

### 3 mil Nitrile Disposable Gloves

- + 3 mil nitrile
- + Fine textured fingers
- + Powder free
- + Beaded cuff
- + Ambidextrous

EN 374-1/Type C   FDA  
 JKO   FDA



## 99-1-1715F S-X2L (7-11)

### 13" Nitrile Glove w/Flock Lining

- + 15 mil nitrile w/diamond patterned palm
- + 13" overall length
- + Flock lining
- + Latex free

EN 388   EN 374-1/Type A  
 3101X   AJKLMNOT





## 99-1-820 M-X3L (8-12) 12" PVC Glove w/Cotton Lining

- + Triple dipped PVC shell w/textured finish
- + 12" overall length
- + Cotton lining
- + Pinned cuff

EN 388  
4121X

EN 374-1/Type A  
AJKLMP



## 99-1-820BD M-X2L (8-11) 12" PVC Glove w/Cotton Lining

- + Triple dipped PVC shell w/textured finish
- + 12" overall length
- + Cotton lining
- + Beaded cuff

EN 388  
4121X

EN 374-1/Type A  
AJKLMP



## 99-1-901 S-XL (7-10) 12" Rubber Glove w/Flock Lining

- + 32 mil rubber shell w/diamond embossed palm
- + 12" overall length
- + Flock lining
- + Beaded cuff

EN 388  
4131X

EN 374-5  
AKLMNOP



## 99-1-912 ONE SIZE 12" PVC Glove w/Fleece Lining

- + Double dipped PVC shell w/textured finish
- + 12" overall length
- + Fleece lining
- + Pinned cuff

EN 388  
3121X

EN 374-1/Type B  
AJKL



## 99-1-914 ONE SIZE 14" PVC Glove w/Fleece Lining

- + Double dipped PVC shell w/textured finish
- + 14" overall length
- + Fleece lining
- + Pinned cuff

EN 388  
3121X

EN 374-1/Type B  
AJKL



## 99-1-504 L-X2L (9-11) 14" PVC Glove w/Cut-Resistant Lining

- + PVC shell w/textured finish
- + 14" overall length
- + Cut-resistant para-aramid lining
- + TPR backhand impact protection

ANSI/ISEA 105  
A5  
X 4

EN 388  
3X43FP

EN 374-1  
AKLOPT

ANSI / ISEA 138  
2




## 99-1-778 XS-X3L (6-12) 12" PVC Glove w/Cut-Resistant Lining

- + PVC shell, full double dipped nitrile coating w/textured finish
- + 12" overall length
- + Cut-resistant lining

ANSI/SEA 105  
A6  
X X

EN 388  
4111

EN 374-1/Type B  
AJKL



## 99-9-821 L-X2L (9-11) 12" PVC Glove w/BOA Lining

- + Triple dipped PVC shell w/textured finish
- + 12" overall length
- + BOA acrylic thermal lining
- + Hemmed cuff

EN 388  
4121X

EN 374-1/Type A  
AJKLMP





# helping hands for planet earth

## 99-1-8110 X2S-X3L

### NBR Coated 15 ga. Nylon/Spandex

- + 15 ga. nylon/spandex shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

EN 388  
4131A  
EN 407  
X1XXXX



1.05 Kgs/pr.  
of Greenhouse gas  
emissions sequestered



## 99-1-8130 X2S-X3L

### NBR Coated 15 ga. HPPE

- + 15 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Reinforced thumb saddle
- + Elastic knit wrist w/hemmed cuff

ANSI  
A3  
CUT  
EN 388  
4X43C  
EN 407  
X1XXXX



1.49 Kgs/pr.  
of Greenhouse gas  
emissions sequestered



## 99-1-8120 X2S-X3L

### NBR Coated 15 ga. HPPE

- + 15 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Reinforced thumb saddle
- + Elastic knit wrist w/hemmed cuff

ANSI  
A2  
CUT  
EN 388  
4X43B  
EN 407  
X1XXXX



0.76 Kgs/pr.  
of Greenhouse gas  
emissions sequestered



## 99-1-8160 X2S-X3L

### NBR Coated 15 ga. HPPE

- + 15 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Reinforced thumb saddle
- + Elastic knit wrist w/hemmed cuff

ANSI  
A6  
CUT  
EN 388  
4X44E  
EN 407  
X1XXXX



1.25 Kgs/pr.  
of Greenhouse gas  
emissions sequestered



## Biodegrades\* over 84% within 92 days

\*ISO 14855-1:2012 tested



Dermatologically  
Approved



COMPOSTABLE IN  
INDUSTRIAL FACILITIES

## 99-1-6350 S-X2L

### 5 MIL TRI-POLYMER DISPOSABLE GLOVES

- + 5 mil tri-polymer
- + Fully textured
- + Beaded cuff
- + Made with natural rubber latex
- + 24 cm length (9.5")
- + 100 pc/box

EN 1186  
EN 374-1/Type B  
EN 374-5  
KOP  
VIRUS



# IMPACT RESISTANT

Our impact-resistant gloves are designed to provide robust protection without compromising flexibility. Featuring reinforced padding and durable materials, these gloves shield your hands from impacts and shocks, making them ideal for construction, automotive, and heavy-duty tasks. The ergonomic design ensures a comfortable fit and excellent grip, allowing for precision handling in demanding environments. With our impact-resistant gloves, you can tackle your toughest jobs with confidence and safety.

SCAN HERE  
TO SEE MORE



## 99-1-9791 XS-X2L (6-11)

### Nitrile Coated HPPE

- + HPPE shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105  
A5  
6 3

ANSI / ISEA 138  
2



## 20-1-5000 XS-X3L

### Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + Slip-on cuff

ANSI/ISEA 105  
A6  
4 4

ANSI / ISEA 138  
2



## 20-1-5005 XS-X3L

### Grain Goatskin Glove w/5" Cuff

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + 5" split cowhide gauntlet cuff

ANSI/ISEA 105  
A6  
4 4

ANSI / ISEA 138  
2



## 99-1-9790 XS-X2L (6-11)

### Nitrile Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105  
A3  
X X

EN 388  
4X43C

ANSI / ISEA 138  
2



## 20-9-5000 XS-X3L

### Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + TPR backhand impact protection

ANSI/ISEA 105  
A6  
4 4

ANSI / ISEA 138  
2



## 20-1-10698 XS-X3L

### Grain Goatskin Glove w/3" Cuff

- + Water-repellent grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + 3" split cowhide cuff w/reflective strip
- + Shirred elastic wrist

ANSI/ISEA 105  
A5  
X 4

ANSI  
HEAT  
4  
CONDUCTIVE

NFPA 70E  
ATPV 60 cal/cm²  
CAT 4

ANSI / ISEA 138  
2





## 20-1-10750 XS-X3L

### Grain Goatskin Driver


- + Oil-resistant grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + Slip-on cuff
- + Shirred elastic wrist



## 20-9-5005 XS-X3L

### Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + TPR backhand impact protection
- + 5" split cowhide gauntlet cuff

**NEW**

## 99-9-3366 XS-X4L (6-13)

### Lined Microfiber-Reinforced 13 ga. HPPE

- + 13 ga. HPPE shell w/microfiber palm
- + Fleece lining
- + TPR backhand impact protection
- + Reinforced thumb saddle



## 99-9-9791 XS-X2L (6-11)

### Lined Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 7 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + Acrylic lining
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff

**NEW**

## 99-1-9796 XS-X4L (6-13)

### Nitrile Coated 18 ga. HPPE

- + 18 ga. HPPE shell
- + Foam nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

**NEW**

## 99-1-9794 XS-X4L (6-13)

### Nitrile Coated 21 ga. HPPE

- + 21 ga. HPPE shell
- + Foam nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle



## 20-1-10697 XS-X3L

### Grain Goatskin Driver

- + Water-repellent grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + Slip-on cuff
- + Shirred elastic wrist



## 99-9-9793 XS-X2L (6-11)

### Lined Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 7 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + Acrylic Insulation
- + TPR backhand impact protection
- + Waterproof polyurethane inner membrane



# WATER RESISTANT

Whether it's from natural elements or water sources on your job site, protecting workers from liquids is important for their comfort and safety. These high-quality gloves keep hands comfortable and dry.

SCAN HERE  
TO SEE MORE



## 99-1-6000B S-X2L

### 6 mil Nitrile Disposable Gloves

- + 6 mil nitrile
- + Double sided traction grip
- + Powder free
- + Latex free

EN 374-1/Type B EN 374-5 EN 1186



## 99-1-6200P S-X2L

### 8 mil Nitrile Disposable Gloves

- + 8 mil nitrile
- + Double sided traction grip
- + Powder free
- + Latex free

EN 374-1/Type B EN 374-5 EN 1186



## 99-1-6350 S-XL

### 5 mil Tri-Polymer Disposable Gloves

- + 5 mil tri-polymer
- + Fully textured
- + Powder free
- + Beaded cuff

EN 374-1/Type B EN 374-5 EN 1186



## 99-1-6100B S-X2L

### 6 mil Nitrile Disposable Gloves

- + 6 mil nitrile
- + Double sided traction grip
- + Powder free
- + Latex free

EN 374-1/Type B EN 374-5 EN 1186



## 99-1-9625 XS-X2L (6-11)

### Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 18 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + Nylon lining
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



## 99-1-9793 XS-X2L (6-11)

### Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 18 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + Nylon lining
- + TPR backhand impact protection

ANSI/ISEA 105

ANSI / ISEA 138





### 99-9-300 S-X2L (7-11)

#### Lined Full Nitrile Coated

#### 15 ga. Nylon

- + 15 ga. nylon shell
- + Foam nitrile knuckle coating over full coating
- + Thermal nylon/acrylic lining
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105	EN 388	EN 511	EN 1186	
A3 X X	4X32D	X11		Singletex
Abrasion	Cold	Cut	Puncture	Water

Food Safe



### 99-9-301 S-X2L (7-11)

#### Lined Full Latex Coated

#### 15 ga. Nylon

- + 15 ga. nylon shell
- + Foam latex palm coating over full coating
- + Thermal nylon/acrylic lining
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105	EN 388	EN 511	EN 407	EN 1186
A3 X X	2X31C	X11	X2XXXX	
Abrasion	Cold	Cut	Heat	Water

Food Safe



### 99-9-3360 XS-X2L (6-11)

#### Lined Nitrile Coated 18 ga. HPPE

- + 18 ga. HPPE shell
- + Foam nitrile palm coating w/textured finish
- + Acrylic insulation
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105	EN 511
A6 3 5	X2X
Abrasion	Cold

Cut Puncture Tear Touchscreen



### 99-9-821 L-X2L (9-11)

#### 12" PVC Glove w/BOA Lining

- + Triple dipped PVC shell w/textured finish
- + 12" overall length
- + BOA acrylic thermal lining
- + Hemmed cuff

EN 388	EN 374-1/Type A
4121X	AJJKLMPT
Abrasion	Chemical

Cold Tear Water Grip



### 99-9-9625 XS-X2L (6-11)

#### Lined Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 7 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + Acrylic Insulation
- + Reinforced thumb saddle
- + Waterproof polyurethane inner membrane

ANSI/SEA 105	EN 511
A6 4 4	X2X
Abrasion	Cold

Cut Puncture Water Touchscreen



### 99-9-9793 XS-X2L (6-11)

#### Lined Nitrile Coated HPPE

- + 13 ga. HPPE outer shell, 7 ga. HPPE inner shell
- + Nitrile palm coating w/textured finish
- + Acrylic Insulation
- + TPR backhand impact protection
- + Waterproof polyurethane inner membrane

ANSI/SEA 105	ANSI / ISEA 138
A6 4 4	2
Abrasion	Cold

Cut Impact Water Touchscreen



### 99-1-820 M-X3L (8-12)

#### 12" PVC Glove w/Cotton Lining

- + Triple dipped PVC shell w/textured finish
- + 12" overall length
- + Cotton lining
- + Pinned cuff

EN 388	EN 374-1/Type A
4121X	AJJKLMPT
Abrasion	Chemical

Tear Water Dexterity Grip



### 20-9-10698 XS-X3L

#### Lined Grain Goatskin Glove w/3" Cuff

- + Water-repellent grain goatskin palm & backhand
- + Cut-resistant lining
- + FR120 Thinsulate™ insulation
- + TPR backhand impact protection

ANSI/SEA 105	ANSI HEAT 4 CONDUCTIVE	ANSI / ISEA 138
A5 X 5	2	
Water	Cold	Cut

Heat Impact Hi-Viz

# TOUCH SCREEN

Our touch screen gloves combine warmth and functionality, allowing you to stay connected without sacrificing comfort. Crafted with conductive fingertips, these gloves enable seamless interaction with all your devices, from smartphones to tablets, while keeping your hands cozy. Perfect for everyday use in chilly weather, they feature a stylish design and a snug fit for optimal dexterity.

SCAN HERE  
TO SEE MORE



NEW




## 99-1-4003 S-X3L (7-12)

### Uncoated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Elastic knit wrist w/hemmed cuff
- + Washable

ANSI/ISEA 105   EN 388   EN 1186  
   
3X43F



NEW



## 99-1-4013 S-X3L (7-12)

### Nitrile Coated 13 ga. HPPE

- + 13 ga. nylong/Spandex shell
- + Foam nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Washable

ANSI/SEA 105   EN 388   EN 407   EN 1186  
   
4X43F   X1XXX



## 20-1-10360 XS-X2L

### Microfiber Performance Glove

- + Microfiber palm
- + Spandex backhand
- + Cut-resistant lining
- + Slip-on cuff
- + Shirred elastic wrist

ANSI/SEA 105



## 20-1-10623 XS-X2L

### Grain Deerskin Mechanics Glove

- + Microfiber palm
- + Spandex backhand
- + Cut-resistant palm lining
- + TPR backhand impact protection

ANSI   ANSI   ANSI   ANSI / ISEA 138  
   
CUT   ABR   PUNCT



## 20-9-10364 XS-X2L

### Lined Microfiber Performance Glove

- + Microfiber palm
- + Spandex backhand
- + Cut-resistant lining
- + C40 Thinsulate™ palm insulation,
- + C100 Thinsulate™ backhand insulation

ANSI/SEA 105



## 20-1-10400 XS-X3L

### Synthetic Leather Performance Glove

- + Synthetic leather palm
- + Spandex backhand
- + Cut-resistant aramid lining
- + TPR backhand impact protection

ANSI/SEA 105   ANSI / ISEA 138  
   
CUT   PUNCT





## 99-1-6000B S-X2L

### 6 mil Nitrile Disposable Gloves

- + 6 mil nitrile
- + Double sided traction grip
- + Powder free
- + Latex free

EN 374-1/Type B   EN 374-5   EN 1186



## 99-1-6200B S-X3L

### 8 mil Nitrile Disposable Gloves

- + 8 mil nitrile
- + Double sided traction grip
- + Powder free
- + Latex free

EN 374-1/Type B   EN 374-5   EN 1186



## 99-1-8110 X2S-X3L (5-12)

### NBR Coated 15 ga. Nylon/Spandex

- + 15 ga. nylong/Spandex shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Recyclable vending packaging option

EN 388   EN 407  
  
 4X131A   X1XXXX



## 99-1-8120 X2S-X3L (5-12)

### NBR Coated 15 ga. HPPE

- + 15 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105   EN 388   EN 407  
  
 A2   4X43B   X1XXXX



## 99-1-8130 X2S-X3L (5-12)

### NBR Coated 15 ga. HPPE

- + 15 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105   EN 388   EN 407  
  
 A3   4X43C   X1XXXX



## 99-1-8160 X2S-X3L (5-12)

### NBR Coated 15 ga. HPPE

- + 15 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105   EN 388   EN 407  
  
 A6   4X44E   X1XXXX




## 99-1-9430 X3S-X2L (4-11)

### PU Coated 21 ga. HPPE

- + 21 ga. HPPE shell
- + Polyurethane palm coating w/smooth finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105  
  
 A3  
 2   3



## 99-1-9500 XS-X2L (6-11)

### Nitrile Coated 15 ga. HPPE

- + 15 ga. HPPE shell
- + Foam nitrile palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105   ANSI HEAT 1 CONDUCTIVE   EN 388   EN 407  
  
 A2   4X43B   X1XXXX





### 99-1-9530 XS-X3L (6-12)

#### NBR Coated 21 ga. Nylon

- + 21 ga. HPPE/polyester/steel shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105



### 99-1-9551 XS-X3L (6-12)

#### PU Coated 21 ga. HPPE

- + 21 ga. HPPE/polyester/steel shell
- + Polyurethane palm coating
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105



### 99-1-9570 XS-X3L (6-12)

#### NBR Coated 21 ga. HPPE

- + 21 ga. HPPE/polyester/steel shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105



### 99-1-9581 XS-X3L (6-12)

#### PU Coated 21 ga. HPPE

- + 21 ga. HPPE/polyester/steel shell
- + Polyurethane palm coating
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105



### 99-1-9631 XS-X3L (6-12)

#### Nitrile Coated 18 ga. HPPE

- + 18 ga. Nylon/HPPE/steel wire shell
- + Nitrile palm coating w/textured finish
- + TPR backhand impact protection
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



### 99-1-9640 X3S-X3L (4-12)

#### PU Coated 18 ga. HPPE

- + 18 ga. HPPE shell
- + Polyurethane palm coating
- + Elastic knit wrist w/hemmed cuff
- + Reinforced thumb saddle

ANSI/ISEA 105



### 99-1-9778 S-X2L (7-11)


#### NBR Coated 13 ga. HPPE

- + 13 ga. HPPE shell
- + Foam NBR palm coating w/textured finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



EN 388



### 99-1-9799 XS-X2L (6-11)


#### Nitrile Coated Nylon

- + Nylon shell
- + Foam nitrile palm coating w/porous finish
- + Elastic knit wrist w/hemmed cuff

ANSI/ISEA 105



EN 388



# CLASSIC GLOVES

Our classic gloves not only offer timeless style but also prioritize protection and safety. Made from durable, high-quality materials, they provide a reliable barrier against the elements while ensuring excellent grip and dexterity. Ideal for outdoor activities, these gloves shield your hands from cold, wind, and abrasions, making them perfect for both everyday wear and demanding tasks.

SCAN HERE  
TO SEE MORE



NEW



## 20-1-3300 XS-X2L

### Grain Pigskin Driver

- + Grain pigskin palm
- + Reverse grain pigskin backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + Slip-on cuff

ANSI/ISEA 105  
A6  
4 4

ANSI / ISEA 138  
2



## 20-1-1581 S-X2L

### Grain Cowhide Driver w/Keystone Thumb

- + Grain cowhide palm & backhand
- + Slip-on cuff
- + Shirred elastic wrist
- + Gunn cut w/keystone thumb



Durable Leather



## 20-1-1610 XS-X2L

### Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Slip-on cuff
- + Shirred elastic wrist
- + Gunn cut w/keystone thumb

ANSI/SEA 105  
X  
X 3

ANSI / ISEA 138  
2



## 20-1-288 XS-XL

### Grain Cowhide Driver

- + Water-repellent grain cowhide palm & backhand
- + Slip-on cuff
- + Shirred elastic wrist
- + Gunn cut w/keystone thumb



Water Durable Leather



## 20-1-340 S-XL

### Grain Sheepskin Driver

- + Grain sheepskin palm & backhand
- + Slip-on cuff
- + Shirred elastic wrist
- + Gunn cut w/keystone thumb



## 20-1-5000 XS-X3L

### Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + Slip-on cuff

ANSI/SEA 105  
A6  
4 4

ANSI / ISEA 138  
2



Abrasion Cut Impact Puncture Durable Leather



## 20-1-5005 XS-X3L

### Grain Goatskin Glove w/5" Cuff

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + TPR backhand impact protection
- + 5" split cowhide gauntlet cuff



## 20-9-327 S-XL

### Lined Split Deerskin Driver

- + Split deerskin palm & backhand
- + C100 Thinsulate™ insulation
- + Slip-on cuff
- + Shirred elastic wrist



## 20-9-340 S-XL

### Lined Grain Sheepskin Driver

- + Grain sheepskin palm & backhand
- + C100 Thinsulate™ insulation
- + Slip-on cuff
- + Shirred elastic wrist
- + Gunn cut w/keystone thumb



## 20-9-5000 XS-X3L

### Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + TPR backhand impact protection



## 20-9-5005 XS-X3L

### Lined Grain Goatskin Driver

- + Grain goatskin palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + TPR backhand impact protection
- + 5" split cowhide gauntlet cuff



## 40-9-2525 S-X2L

### Lined Grain Cowhide Fitter w/Safety Cuff


- + Grain cowhide palm & backhand
- + C100 Thinsulate™ insulation
- + Rubberized safety cuff
- + Inside elastic wrist



## 60-1-1290 S-X2L

### Grain Cowhide Utility Glove w/6.25" Cuff


- + Water-repellent grain cowhide palm & backhand
- + Cut-resistant lining
- + 6.25" split cowhide hi-viz gauntlet cuff w/gore
- + Shirred elastic wrist



## 60-9-1290 S-X2L

### Lined Grain Cowhide Utility Glove w/6.25" Cuff

- + Water-repellent grain cowhide palm & backhand
- + Cut-resistant lining
- + C100 Thinsulate™ insulation
- + 6.25" split cowhide hi-viz gauntlet cuff w/gore



# WELDING PRODUCTS

Working with metal requires protection against heat, cuts, and abrasions. Our Gander Brand® welder gloves are designed for TIG, MIG, stick, and general welding tasks while offering durability, dexterity, and comfort.

SCAN HERE  
TO SEE MORE



## 64-1-1525 S-X2L

### Grain Deerskin TIG Welder w/5.5" Cuff & Heat Patch


- + Reverse grain deerskin palm & backhand
- + 5.5" split cowhide gauntlet cuff w/gore
- + Clute cut w/straight thumb & thumb strap
- + Left hand heat patch



## 60-1-1818KV XS-X2L

### Grain Cowhide Welder w/5" Cuff

- + Grain cowhide palm, thumb & index finger
- + Split cowhide backhand
- + Cut-resistant lining
- + 5" split cowhide gauntlet cuff



## 60-1-1940 S-X2L

### Grain Goatskin TIG Welder w/5" Cuff & Heat Patch

- + Grain goatskin palm & backhand
- + FR cotton backhand lining
- + 5" split cowhide gauntlet cuff
- + Shirred elastic wrist



## 60-1-1949 S-X2L

### Grain Goatskin Welder w/4" Cuff

- + Grain goatskin palm & backhand
- + 4" split cowhide gauntlet cuff
- + Straight thumb
- + Foam padded palm



## 64-1-7803B ONE SIZE

### Split Cowhide Welder w/Gauntlet Cuff

- + Split cowhide palm & backhand
- + Fleece lining
- + Gunn cut w/wing thumb
- + Welted thumb & fingertips



## 64-1-1141 XS-X2L

### Split Deerskin TIG Welder w/5" Cuff

- + Split deerskin palm & backhand
- + 5" split cowhide gauntlet cuff
- + Clute cut w/straight thumb & thumb strap





# 6 MIL NITRILE DISPOSABLE GLOVES

S-X3L

- Tested for fentanyl protection
- Fully textured
- Touchscreen friendly
- Powder free
- Ambidextrous
- 30 cm length (12")

NEW



99-1-6800  
50-Box Nitrile Disposable Gloves



99-1-6800P  
10-Pack Nitrile Disposable Gloves



**Bob Dale Gloves Canada**  
4504 - 82 Ave, Edmonton, AB T6B 2S4  
Ph: (780) 469-2100 | 1-800-661-7303  
**Bob Dale Gloves USA**  
2135 W. Obispo Ave, Gilbert, AZ 85233  
Toll Free: 1-855-215-7113

Information contained in this document is subject to change without notice. As Bob Dale Gloves and Imports Ltd. cannot control or anticipate the conditions under which this product may be used, each user should review the information in specific context of the planned use. To the maximum extent permitted by law, Bob Dale Gloves and Imports Ltd., and/or its affiliates, employees or representatives will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given other than those implied mandatory by law.

BOBDALEGLOVES.COM

Revision Date: April 17, 2025